




Uppsala University
Museum of Evolution
Zoology section

Catalogue of type specimens. 2.

General zoology



Catalogue of type specimens. 2.
General zoology

The UUZM catalogue of type specimens is issued in four parts:

1. C.P.Thunberg (1743-1828), Insecta
2. General zoology (this part)
3. Entomology
4. Linnaean specimens

The groups 'Myriapoda' and Symphyla are included in this part of the catalogue although they are generally referred to 'entomology'.

Naturally, the size of the type collection will increase in connection with new contributions but also with the 'discovery' of disregarded old type specimens not yet transferred from the general collections. Revised versions of the catalogue will successively be available.

CONTENTS:

- Introduction, *p. 1*.
- List of protologues (published articles giving descriptions of new species), *pp. 2-33*.
- Alphabetically arranged list, *pp. 34-67* (type specimens grouped in:)

Anthozoa	Hemichordata	Protozoa
Anura	Holothuroidea	Reptilia
Archiannelida	Hydrozoa	Spongiaria
Aves	Mammalia	Symphyla
Bryozoa	Mollusca	Trematoda
Cestoda	Myriapoda	Tunicata
Crinoidea	Pisces	Turbellaria
Crustacea	Pogonophora	
Entoprocta	Polychaeta	

This is a revised version 4 of a list compiled by **Lars Wallin**.
 Date of issue: 1996/12/04 (version 1 issued 1990/10/18).

Afzelius, Adam. 1802.

In: Latham, J. A Natural History, or General Synopsis of Birds, Suppl. 2.
- London.

Caprimulgus macrodipterus AVES type # 326

Ailly, Adolf d'. 1896.

Contributions á la connaissance des mollusques terrestres et d'eau douce de Kaméroun.

- Bih. svensk. VetenskAkad. Handl. 22, Sect. 4, No. 2: 1-138.

Achatina camerunensis MOLLUSCA type # 487

Ennea bongensis MOLLUSCA type # 478

Ennea martensi MOLLUSCA type # 479

Ennea tullbergi MOLLUSCA type # 480

Gibbus martensi MOLLUSCA type # 494

Helicarion depressus MOLLUSCA type # 481

Helix jungneri MOLLUSCA type # 127

Opeas egens MOLLUSCA type # 491

Pseudachatina dennisoni connectens MOLLUSCA type # 492

Pseudachatina liljevalli MOLLUSCA type # 489

Pseudachatina martensi MOLLUSCA type # 488

Pseudoglessula clavata grayi MOLLUSCA type # 493

Pseudoglessula sjöstedti MOLLUSCA type # 490

Streptaxis camerunensis MOLLUSCA type # 125

Thapsia sjöstedti MOLLUSCA type # 482

Trochozonites hystrix MOLLUSCA type # 485

Trochozonites pilosus MOLLUSCA type # 486

Trochozonites reticulatus MOLLUSCA type # 483

Trochozonites suturalis MOLLUSCA type # 484

Alm, Gunnar. 1912.

Zur Kenntnis der Süßwasser-Cytheriden.

- Zool. Anz. 39: 668-673.

Cythere fuscata significans CRUSTACEA type # 157

Andersson, K.A. 1902.

Bryozoen, während der schwedischen Expeditionen 1898 und 1899 unter Leitung von Professor A. G. Nathorst und 1900 unter Leitung von Conservator G. Kolthoff gesammelt.

- Zool. Jb., Abt. 1, Vol. 15: 537-560.

Alcyonidium mamillatum erectum BRYOZOA type # 388

Cribilina punctata watersi BRYOZOA type # 562

Smittia palmata sinuosa BRYOZOA type # 121

Andersson, K.A. 1907.

Die Pterobranchier der schwedischen Südpolarexpedition 1901-1903, nebst Bemerkungen über *Rhabdopleura normani* Allman.

- Wiss. Ergebn. schwed. Südpolarexped. 5, No. 10: 1-122.

Cephalodiscus densus HEMICHORDATA type # 14

Cephalodiscus inaequatus HEMICHORDATA type # 13

Appellöf, Adolf. 1886.

Japanska Cephalopoder.

- K. svenska VetenskAkad. Handl. 21, No. 13: 1-40.

Octopus globosus MOLLUSCA type # 138

Sepia peterseni MOLLUSCA type # 148

Sepia tullbergi MOLLUSCA type # 295

Arwidsson, Ivar. 1899.

Studien über die Familien Glyceridae und Goniadidae.

- Bergens Mus. Aarb. 1898, No. 11: 1-69.

Glycera chilensis POLYCHAETA type # 316

Glycera longissima POLYCHAETA type # 314

Arwidsson, Ivar. 1907.

Studien über die skandinavischen und arktischen Maldaniden, nebst Zusammenstellung der übrigen bisher bekannten Arten dieser Familie.

- Zool. Jb., Abt. 1, Suppl. 9, Heft 1: 1-308.

Heteroclymene robusta POLYCHAETA type # 312

Leiochone borealis POLYCHAETA type # 310

Microclymene acirrata POLYCHAETA type # 311

Nicomache lumbricalis borealis POLYCHAETA type # 308

Nicomache minor POLYCHAETA type # 668

Notoproctus oculatus POLYCHAETA type # 307

Petaloproctus tenuis borealis POLYCHAETA type # 309

Arwidsson, Ivar. 1932.

Calamyzas amphictenicola, ein ektoparasitischer Verwandter der Sylliden.

- Zool. Bidr. Uppsala 14: 153-218.

Calamyzas amphictenicola POLYCHAETA type # 669

Aurivillius, Carl W.S. 1883.

Bidrag till kännedomen om krustaceer som lefva hos mollusker och tunikater.

- Dissertation. Stockholm.

Doropygus longicauda CRUSTACEA type # 652

Aurivillius, Carl W.S. 1892.

Neue Cirripeden aus dem Atlantischen, Indischen und Stillen Ocean.

- Öfvers. K. svenska VetenskAkad. Förhandl. 1892, No. 3: 123-134.

Alepas japonica CRUSTACEA type # 340

Poecilasma vagans CRUSTACEA type # 334

Scalpellum scorpio CRUSTACEA type # 341

Aurivillius, Carl W.S. 1894.

Studien über Cirripeden.

- K. svenska VetenskAkad. Handl. 26, No. 7: 1-89.

Gymnolepas pellucida CRUSTACEA type # 167

Aurivillius, Carl W.S. 1898.

Krustaceen aus dem Kamerun-Gebiete.

- Bih. K. svenska VetenskAkad. Handl. 24, Afd. 4, No. 1: 1-31.

Atya margaritacea claviger CRUSTACEA type # 649

Gebia furcata CRUSTACEA type # 211

Neptunus marginatus truncata CRUSTACEA type # 209

Palaemon hastatus CRUSTACEA type # 650

Palaemonetes trispinosus CRUSTACEA type # 651

Aurivillius, P. O. Christopher. 1879a.

On a new genus and species of Harpacticida.

- Bih. K. svenska VetenskAkad. Handl. 5, No. 18: 3-16.

Balaenophilus unisetus CRUSTACEA type # 389

Aurivillius, P. O. Christopher. 1879b.

Balaenophilus unisetus nov. gen. et spec. Ett bidrag till kännedomen om harpacticidernas utvecklingshistoria och systematik.

- Dissertation. Stockholm. (Swedish version of Aurivillius 1879a.)

Aurivillius, Magnus. 1931.

The Gorgonarians from Dr. Sixten Bock's expedition to Japan and Bonin Islands 1914.
- K. svenska VetenskAkad. Handl., Series 3, Vol. 9, No. 4: 1-337.

- Acalycigorgia wireni* ANTHOZOA type # 51
- Acanella microspiculata* ANTHOZOA type # 80
- Acanthogorgia boninensis* ANTHOZOA type # 70
- Acanthogorgia dofleini spinosa* ANTHOZOA type # 71
- Acanthogorgia gotoënsis* ANTHOZOA type # 82
- Acanthogorgia hedlundi* ANTHOZOA type # 48
- Anthogorgia bocki* ANTHOZOA type # 50
- Bebryce bocki* ANTHOZOA type # 84
- Bebryce boninensis* ANTHOZOA type # 69
- Caligorgia cristata* ANTHOZOA type # 54
- Chrysogorgia sphaerica* ANTHOZOA type # 73
- Echinogorgia japonica* ANTHOZOA type # 85
- Euplexaura javensis* ANTHOZOA type # 55
- Euplexaura multiflora* ANTHOZOA type # 52
- Filigella boninensis* ANTHOZOA type # 68
- Iciligorgia boninensis* ANTHOZOA type # 78
- Plumarella dofleini boninensis* ANTHOZOA type # 65
- Primnoella philippii* ANTHOZOA type # 62
- Pseudothesa foliata* ANTHOZOA type # 57
- Stachyodes clavata japonensis* ANTHOZOA type # 58
- Thouarella hilgendorfi plumatilis* ANTHOZOA type # 79
- Villogorgia cristata* ANTHOZOA type # 74
- Villogorgia japonica* ANTHOZOA type # 64
- Villogorgia teretiflora* ANTHOZOA type # 53

Bergenhayn, J.R.M. 1933.

Die Loricaten von Prof. Dr. Sixten Bocks Expedition nach Japan und den Bonin-Inseln 1914.

- K. svenska VetenskAkad. Handl. 12, No. 4: 1-58.

- Acanthochiton sagamicus* MOLLUSCA type # 137
- Acanthopleura planispina* MOLLUSCA type # 144
- Callochiton septemcostatus* MOLLUSCA type # 132
- Chiton bocki* MOLLUSCA type # 147
- Ischnochiton boninensis* MOLLUSCA type # 130
- Ischnochiton zebrinus* MOLLUSCA type # 134
- Lepidopleurus aequispinus* MOLLUSCA type # 142
- Lepidopleurus japonicus aequivalvus* MOLLUSCA type # 136
- Lepidopleurus latidens* MOLLUSCA type # 131
- Lepidozona pallida* MOLLUSCA type # 141
- Lepidozona pectinella* MOLLUSCA type # 135
- Lepidozona sahlini* MOLLUSCA type # 139
- Lucilina interplicata* MOLLUSCA type # 140
- Notoplax döderleini longifasciata* MOLLUSCA type # 143
- Notoplax squamopleura* MOLLUSCA type # 146
- Notoplax thielei* MOLLUSCA type # 145

Binder, E. in pr.

- Gymnarion jungneri* MOLLUSCA type # 580

Bock, Sixten. 1913.

Studien über Polycladen.

- Zool. Bidr. Uppsala 2: 31-344.

Stylochus orientalis TURBELLARIA type # 106

Woodworthia atlantica TURBELLARIA type # 105

Bock, Sixten. 1922.

Two new Cotylean genera of polyclads from Japan and remarks on some other cotyleans.

- Ark. Zool. 14, No. 13: 1-31.

Amyella lineata TURBELLARIA type # 594

Chromoplana bella TURBELLARIA type # 593

Bock, Sixten. 1923a.

Two new acotylean polyclads from Japan.

- Ark. Zool. 15, No. 17: 1-39.

Cryptocelis ijimai TURBELLARIA type # 596

Plehnia japonica TURBELLARIA type # 595

Bock, Sixten. 1923b.

Boninia, a new polyclad genus from the Pacific.

- Nova Acta Soc. Sci. upsal., Series 4, Vol. 6, No. 3: 1-32.

Boninia mirabilis TURBELLARIA type # 597

Bock, Sixten. 1923c.

Eine neue marine Turbellariengattung aus Japan.

- Uppsala Univ. Årsskr. 1923, 55 pp.

Hofstenia atroviridis TURBELLARIA type # 598

Bock, Sixten. 1924.

Eine neue Stylochoplana aus Japan.

- Ark. Zool. 16, No. 7: 1-24.

Stylochoplana pusilla TURBELLARIA type # 599

Bock, Sixten. 1925.

Anoplodium stichopi, ein neuer Parasit von der Westküste Skandinaviens.

- Zool. Bidr. Uppsala 10: 1-30.

Anoplodium stichopi TURBELLARIA type # 600

Boulenger, G. A. 1898.

Report on the collection fishes made by Mr. J. E. S. Moore in Lake Tanganyika during his expedition, 1895-96.

- Trans. zool. Soc. Lond. 15: 1-30.

Mastacembelus loennbergii PISCES type # 602

Bovallius, Carl.

(All type material in the Swedish Museum of Natural History, Stockholm, even if stated otherwise in the protologues)

Brattström, Hans. 1937.

On the genus *Ulophysema* Brattström with description of a new species from East Greenland.

- Medd. Grönland 118, No. 7: 1-22.

Ulophysema pourtalesiae CRUSTACEA type # 208

Brundin, J. A. Z. 1896.

Alcyonarien aus der Sammlung des Zoologischen Museums in Uppsala.

- Bih. K. svenska VetenskAkad. Handl. 22, Sect. 4, No. 3: 1-21.

Bellonella cinerea ANTHOZOA type # 63

Bellonella rubra ANTHOZOA type # 72

Euplexaura anastomosans ANTHOZOA type # 32

Plexauroides verrucosa ANTHOZOA type # 81

Psilacabaria frondosa ANTHOZOA type # 67

Solenocaulon simplex ANTHOZOA type # 77

Suensonia mollis ANTHOZOA type # 30

Carlgren, Oskar. 1918.

Die Mesenterienanordnung der Halcuriden.

- Lunds Univ. Årsskr. N.F., Sect. 2, Vol. 14, No. 29: 1-39.

Isactinernus quadrilobatus ANTHOZOA type # 102

Synactinernus flavus ANTHOZOA type # 232

Carlgren, Oskar. 1922.

Papers from Dr. Th. Mortensen's Pacific Expedition 1914-16. 16. Ceriantharia.

- Vidensk. Medd. dansk naturh. Foren. Kbh. 75: 169-195.

Cerianthus filiformis ANTHOZOA type # 418

Cerianthus japonicus ANTHOZOA type # 419

Carlgren, Oskar. 1928.

Zur Symbiose zwischen Actinien und Paguriden.

- Z. Morph. Ökol. Tiere 12: 165-173.

Calliactis japonica ANTHOZOA type # 688

Carlgren, Oskar. 1940.

A contribution to the knowledge of the structure and distribution of the cnidae in the Anthozoa.

- Lunds Univ. Årsskr. N.F., Sect. 2, Vol. 36, No. 3: 1-62.

Aureliana japonica ANTHOZOA type # 101

Carlgren, Oskar. 1943.

East-Asiatic Corallimorpharia and Actiniaria.

- K. svenska VetenskAkad. Handl., Series 3, Vol. 20, No. 6: 1-43.

Metarhodactis boninensis ANTHOZOA type # 632

Pseudhormathia bocki ANTHOZOA type # 103

Stomphia japonica ANTHOZOA type # 403

Clark, Austin Hobart. 1908.

Preliminary notice of a collection of recent Crinoids from the Philippine Islands.

- Smithson. misc. Coll. 52, Part 2: 199-234.

Calometra acanthaster CRINOIDEA type # 707

Clark, Austin Hobart. 1909.

Revision of the crinoid family Comasteridae, with descriptions of new genera and species.

- Proc. U.S. nat. Mus. 36: 493-507.

Leptonemaster venustus CRINOIDEA type # 706

Dahlgren, Lars. 1962a.

A new monothalamous foraminifer, *Ovammina opaca* n.gen., n.sp., belonging to the family Saccamminidae.

- Zool. Bidr. Uppsala 33: 197-200.

Ovammina opaca PROTOZOA type # 317

Dahlgren, Lars. 1962b.

Allogromia crystallifera n.sp., a monothalamous foraminifer.
- Zool. Bidr. Uppsala 35: 451-456.

Allogromia crystallifera PROTOZOA type # 318

Deraniyagala, P.E.P. 1948.

Some scientific results of two visits to Africa.

- Spolia Zeylanica 25: 1-42.

Trionyx triunguis REPTILIA type # 724

Ekman, Sven. 1913a.

Zwei neue europäische Arten der Amphipodengattung *Pontoporeia* Kröyer.

- Ark. Zool. 8, No. 8: 1-13.

Pontoporeia weltneri CRUSTACEA type # 671

Ekman, Sven. 1913b.

Studien über die marinen Relikte der nordeuropäischen Binnengewässer. 1. Über ein reliktes Vorkommen von *Mysis mixta* Lilljeborg im Mälaren und über Konvergenzerscheinungen zwischen ihr und *Mysis oculata* f. *relicta* (Lovén).

- Int. Rev. Hydrobiol. 5: 540-550.

Mysis mixta maelarensis CRUSTACEA type # 212

Ekman, Sven. 1914.

Beiträge zur Kenntnis der schwedischen Süßwasser-Ostracoden.

- Zool. Bidr. Uppsala 3: 1-36.

Nannocandona faba CRUSTACEA type # 222

Ekman, Sven. 1920.

Studien über die marinen Relikte der nordeuropäischen Binnengewässer.

- Int. Rev. Hydrobiol. 8: 477-528.

Chiridothea entomon vaetterensis CRUSTACEA type # 210

Eliason, Anders. 1962.

Die Polychaeten der Skagerak-Expedition 1933.

- Zool. Bidr. Uppsala 33: 207-293.

Ammotrypane sarsi POLYCHAETA type # 189

Anaitides subulifera POLYCHAETA type # 199

Caulleriella serrata POLYCHAETA type # 193

Euclymene lindrothi POLYCHAETA type # 194

Exogone furcifera POLYCHAETA type # 195

Harmothoë micraspis POLYCHAETA type # 201

Macellicephalo paucidentata POLYCHAETA type # 204

Macrochaeta polyonyx POLYCHAETA type # 197

Nereis elitoralis POLYCHAETA type # 198

Ophryotrocha isochaeta POLYCHAETA type # 200

Polycirrus latidens POLYCHAETA type # 196

Pseudeulalia exigua POLYCHAETA type # 202

Sphaerodorum distichum POLYCHAETA type # 203

Elofson, Olof. 1938.

Neue und wenig bekannte Cytheriden von der schwedischen Westküste.

- Ark. Zool. 30A, No. 21: 1-22.

Bythocythere intermedia CRUSTACEA type # 496

Cytheroma latiantennata CRUSTACEA type # 511

Elofson, Olof. 1939.

Cytheridea macrolaminata n.sp., eine neue arktische Ostracode.
- Ark. Zool. 31B, No. 8: 1-7.

Cytheridea macrolaminata CRUSTACEA type # 512

Elofson, Olof. 1941.

Zur Kenntnis der marinen Ostracoden Schwedens mit besonderer Berücksichtigung des Skageraks.

- Zool. Bidr. Uppsala 19: 215-534.

Paradoxostoma arcticum CRUSTACEA type # 513

Xestolebris pusilla CRUSTACEA type # 497

Elofson, Olof. 1944.

Zur Kenntnis der im Schell der bohuslänschen Insel Bonden vorkommenden Ostracoden.

- Göteborgs VetenskSamh. Handl., Succ. 6, Ser. B, Vol. 3, No. 2: 1-18.

Microcythere bahusiensis CRUSTACEA type # 499

Microcythere monstrosa CRUSTACEA type # 500

Microcythere producta CRUSTACEA type # 498

Enequist, Paul. 1949.

Studies on the soft-bottom amphipods of the Skagerak.

- Zool. Bidr. Uppsala 28: 297-492.

Syrrhoites pusillus CRUSTACEA type # 219

Fahlander, Kjell. 1935.

Ein japanischer Nesogeophilus nebst Bemerkungen über zwei amerikanische Geophiliden.

- Ark. Zool. 28B, No. 7: 1-4.

Nesogeophilus japonicus MYRIAPODA type # 676

Fahlander, Kjell. 1938.

Chilopoden aus Australien und Tasmanien, gesammelt von F.Linder 1936-37.

- Ark. Zool. 31B, No. 1: 1-4.

Allothereua bidenticulata linderi MYRIAPODA type # 675

Franzén, Åke. 1962.

Studies on Entoprocta from the west coast of Sweden.

- Zool. Bidr. Uppsala 33: 311-326.

Loxosoma pectinaricola ENTOPROCTA type # 402

Loxosoma rhodinicola ENTOPROCTA type # 401

Loxosomella glandulifera ENTOPROCTA type # 400

Fristedt, Konrad. 1885.

Bidrag till kännedomen om de vid Sveriges vestra kust levande Spongiae.

- K. svenska VetenskAkad. Handl. 21, No. 6: 1-56.

Chalina pulcherrima SPONGIARIA type # 10

Desmacella peachii stellifera SPONGIARIA type # 26

Desmacella pumicea SPONGIARIA type # 29

Hastatus fragilis SPONGIARIA type # 15

Hastatus mamillaris SPONGIARIA type # 12

Stylopus coriaceus SPONGIARIA type # 11

Vosmaeria crustacea SPONGIARIA type # 7

Gislén, Torsten. 1922.

The Crinoids from Dr. S.Bock's expedition to Japan 1914.

- Nova Act Soc. Sci. upsal., Series 4, Vol. 5, No. 6: 1-183.

Catoptometra magnifica minor CRINOIDEA type # 252

Clarkometra elegans CRINOIDEA type # 253

Comantheria grandicalyx flagellipinna CRINOIDEA type # 268

Comanthus parvicirra comanthipinna CRINOIDEA type # 265

Comanthus parvicirra comasteripinna CRINOIDEA type # 260

Comaster delicata grandis CRINOIDEA type # 266

Comatella brachycirra CRINOIDEA type # 255

Comissia ignota CRINOIDEA type # 259

Comissia peregrina magnifica CRINOIDEA type # 264

Cyllometra pulchella CRINOIDEA type # 258

Diodontometra bocki CRINOIDEA type # 254

Eudiocrinus gracilis CRINOIDEA type # 263

Eudiocrinus loveni CRINOIDEA type # 579

Metacrinus nobilis tenuis CRINOIDEA type # 267

Perissometra aranea CRINOIDEA type # 261

Psathyrometra wireni CRINOIDEA type # 256

Stenometra dentata CRINOIDEA type # 262

Toxometra aequipinna CRINOIDEA type # 257

Glasby, C.J. & Hutchings, P.A. 1987.

A new species of Thelepus from Punta Arenas, Chile, together with a redescription of *Streblosoma comatus* (Grube) and *Thelepus pequenianus* (Augener) (Thelepininae: Terebellidae).

- J. nat. Hist. 21: 977-986.

Thelepus ambitus POLYCHAETA type # 625

Hedlund, T. 1890.

Einige Muriceiden der Gattungen *Acanthogorgia*, *Paramuricea* und *Echinomuricea* im Zoologischen Museum der Universität Upsala.

- Bih. K. svenska VetenskAkad. Handl. 16, Section 4, No. 6: 1-18.

Acanthogorgia inermis ANTHOZOA type # 56

Echinomuricea peterseni ANTHOZOA type # 49

Heegaard, Poul. 1945.

Some parasitic copepods from fishes in the Uppsala University collections.

- Ark. Zool. 35A, No. 18: 1-27.

Acanthocanthopsis quadratus CRUSTACEA type # 655

Anuretes renalis CRUSTACEA type # 654

Caligodes alatus CRUSTACEA type # 220

Caligus bicycletus CRUSTACEA type # 221

Hentschel, Ernst. 1916.

Die Spongien des Eisfjords (In: Zoologische Ergebnisse der schwedischen Expedition nach Spitzbergen 1908 unter Leitung von Prof. G. De Geer, Teil 2, Nr. 3).

- K. svenska VetenskAkad. Handl. 54, No. 3: 1-18.

Gellius arcticus SPONGIARIA type # 22

Polymastia mammillaris hyperborea SPONGIARIA type # 6

Reniera glacialis SPONGIARIA type # 20

Reniera spitzbergensis SPONGIARIA type # 21

Hessle, Christian. 1917.

Zur Kenntnis der terebellomorphen Polychaeten.

- Zool. Bidr. Uppsala 5: 39-251.

- Amphisamytha japonica* POLYCHAETA type # 172
- Amphitrite oculata* POLYCHAETA type # 169
- Lysilla pacifica* POLYCHAETA type # 181
- Neoleprea japonica* POLYCHAETA type # 177
- Octobranchus japonicus* POLYCHAETA type # 182
- Pectinaria bocki* POLYCHAETA type # 162
- Phisidia sagamica* POLYCHAETA type # 170
- Pista atypica* POLYCHAETA type # 171
- Pista macrolobata* POLYCHAETA type # 184
- Pista microlobata* POLYCHAETA type # 179
- Polycirrus medius* POLYCHAETA type # 183
- Polymnia boniniana* POLYCHAETA type # 176
- Sosanopsis wireni* POLYCHAETA type # 160
- Spinospaera pacifica* POLYCHAETA type # 175
- Streblosoma japonica* POLYCHAETA type # 174
- Terebella punctata* POLYCHAETA type # 173
- Terebellides kobei* POLYCHAETA type # 185

Hessle, Christian. 1925.

Einiges über die Hesioniden und die Stellung der Gattung *Ancistrosyllis*.

- Ark. Zool. 17A, No. 10: 1-36.

- Amphidromus izukai* POLYCHAETA type # 630
- Amphidromus setosus* POLYCHAETA type # 629
- Kefersteinia dubia* POLYCHAETA type # 674
- Kefersteinia similis* POLYCHAETA type # 673
- Leocrates anonymus* POLYCHAETA type # 672
- Leocrates auritus* POLYCHAETA type # 626
- Oxydromus lobatus* POLYCHAETA type # 628
- Oxydromus pacificus* POLYCHAETA type # 627

Hofsten, Nils von. 1907a.

Drei neue Rhabdocölen aus schwedischen Binnengewässern.

- Ark. Zool. 3, No. 27: 1-15.

- Castrada instructa* TURBELLARIA type # 563
- Dalyellia pallida* TURBELLARIA type # 564
- Dalyellia succincta* TURBELLARIA type # 565

Hofsten, Nils von. 1907b.

Studien über Turbellarien aus dem Berner Oberland.

- Z. wiss. Zool. 85: 391-654.

- Castrada affinis* TURBELLARIA type # 583
- Castrada spinulosa* TURBELLARIA type # 584
- Dalyellia expedita* TURBELLARIA type # 585
- Dalyellia ornata* TURBELLARIA type # 586
- Dochmiotrema limicola* TURBELLARIA type # 581
- Phaenocora clavigera* TURBELLARIA type # 587
- Strongylostoma elongatum* TURBELLARIA type # 582

Hofsten, Nils von. 1911.

Neue Beobachtungen über die Rhabdocölen und Allocölen der Schweiz.

- Zool. Bidr. Uppsala 1: 1-84.

Castrada inermis TURBELLARIA type # 589

Dalyellia foreli TURBELLARIA type # 588

Castrada rhaetica TURBELLARIA type # 590

Hofsten, Nils von. 1917.

Turbellarien der nordschwedischen Hochgebirge.

- Naturw. Untersuch. Sarekgeb. 4: 697-742.

Castrada libidinosa TURBELLARIA type # 591

Mesostoma maculatum TURBELLARIA type # 592

Holm, Otto. 1894.

Beiträge zur Kenntnis der Alcyonidengattung Spongodes Lesson.

- Zool. Jb., Abt. 1, Vol. 8: 1-50.

Spongodes armata ANTHOZOA type # 83

Spongodes aspera ANTHOZOA type # 59

Spongodes inermis ANTHOZOA type # 86

Spongodes lateritia ANTHOZOA type # 416

Spongodes lobulifera ANTHOZOA type # 413

Spongodes mollis ANTHOZOA type # 60

Spongodes pallida ANTHOZOA type # 415

Spongodes pectinata ANTHOZOA type # 414

Spongodes suenisoni ANTHOZOA type # 66

Spongodes tenera ANTHOZOA type # 61

Holm, Otto. 1904.

Weiteres über Nephthya und Spongodes. In: Results of the Swedish zoological Expedition to Egypt and the White Nile 1901 (ed., L. A. Jägerskiöld), Part 1, No. 27: 1-18.

- Stockholm.

Nephthya jaegerskioeldi ANTHOZOA type # 417

Hornstedt, Clas F. 1788.

Trigla rubicunda, en okänd och besynnerlig fisk från Amoina. (Supplementary description of # 303. Cf. Thunberg 1787a.)

- K. svenska VetenskAkad. Handl. 9: 49-51.

Hubendick, Bengt. 1946.

Systematic monograph of the Patelliformia.

- K. svenska VetenskAkad. Handl., Series 3, Vol. 23, No. 5: 1-93.

Gadinia goësi MOLLUSCA type # 495

Jan, Georges 1864.

Iconographie générale des Ophidiens. Première Famille, les Typhlopiens. (Appended plates: Tome premier, livr. 1 à 17, Milano 1860-66.)

- Milano & Paris, 42 pp.

Typhlops lineolatus REPTILIA type # 725

Johansson, Karl Erik. 1922.

On some new tubicolous annelids from Japan, the Bonin Islands and the Antarctic.

- Ark. Zool. 15, No. 2: 1-11.

Fabricia ventrilinguata POLYCHAETA type # 206

Potamilla elegans POLYCHAETA type # 178

Potamilla japonica POLYCHAETA type # 188

Sabella albicans POLYCHAETA type # 207

Sabella wireni POLYCHAETA type # 218

Sabellastarte bocki POLYCHAETA type # 168

Tetreres curvata POLYCHAETA type # 631

Johansson, Karl Erik. 1927.

Beiträge zur Kenntnis der Polychaeten-Familien Hermellidae, Sabellidae und Serpulidae.

- Zool. Bidr. Uppsala 11: 1-184.

Branchiomma infarcta POLYCHAETA type # 346

Megalomma pacifica POLYCHAETA type # 161

Sabellaria falcigera POLYCHAETA type # 163

Jäderholm, Elof. 1896.

Ueber aussereuropäische Hydroiden des zoologischen Museums der Universität Upsala.

- Bih. K. svenska VetenskAkad. Handl. 21, Section 4, No. 6: 1-20.

Aglaophenia suensonii HYDROZOA type # 43

Antennella suensonii HYDROZOA type # 397

Antennellopsis integerrima HYDROZOA type # 41

Antennularia octoseriata HYDROZOA type # 39

Campanularia sulcata HYDROZOA type # 394

Sertularella mirabilis HYDROZOA type # 395

Sertularella sinensis HYDROZOA type # 396

Solanderia rufescens HYDROZOA type # 393

Spongocladium laeve HYDROZOA type # 40

Thyroscyphus regularis HYDROZOA type # 47

Jäderholm, Elof. 1902a.

Die Hydroiden der schwedischen zoologischen Polarexpedition 1900.

- Bih. K. svenska VetenskAkad. Handl. 28, Section 4, No. 12: 11-11.

Stylactis arctica HYDROZOA type # 35

Jäderholm, Elof. 1902b.

Neue oder wenig bekannte ostasiatische Hydroiden.

- Bih. K. svenska VetenskAkad. Handl. 28, Section 4, No. 13: 1-7.

Thuiaria heteroclada HYDROZOA type # 37

Jäderholm, Elof. 1904.

Hydroiden aus den Küsten von Chile.

- Ark. Zool. 2, No. 3: 1-7.

Campanularia obtusidens HYDROZOA type # 45

Obelia geniculata subsessilis HYDROZOA type # 412

Plumularia duseni HYDROZOA type # 42

Selaginopsis dichotoma HYDROZOA type # 33

Jäderholm, Elof. 1919.

Zur Kenntnis der Hydroidenfauna Japans.

- Ark. Zool. 12, No. 9: 1-33.

Cladocarpus bocki HYDROZOA type # 46

Lictorella stechowi HYDROZOA type # 36

Plumularia filicaulis japonica HYDROZOA type # 44

Sertularella gayi gracilescens HYDROZOA type # 38

Zygophylax brevitheca HYDROZOA type # 34

Jägerskiöld, L.A. 1896a.

Ueber *Micropharynx parasitica* n.g., n.sp., eine ectoparasitische Triclade.

- Öfvers. K. svenska VetenskAkad. Förhandl. 1896: 707-714.

Micropharynx parasitica TURBELLARIA type # 104

Jägerskiöld, L.A. 1896b.

Ueber *Monostomum lacteum* n.sp.

- Festschrift für Lilljeborg, pp. 165-177. Uppsala.

Monostomum lacteum TREMATODA type # 116

Jägerskiöld, L.A. 1900.

Levinsenia (*Distomum*) *pygmaea* Levinsen, ein genitalnapftragendes *Distomum*.

- Zbl. Bakt. 27: 732-740.

Levinsenia pygmaea similis TREMATODA type # 117

Jägersten, Gösta. 1937.

Myzostomiden von Prof. Dr. Sixten Bocks Expedition nach Japan und den Bonin-Inseln 1914.

- Ark. Zool. 29A, No. 17: 1-35.

Myzostomum bocki POLYCHAETA type # 165

Myzostomum brevilobatum POLYCHAETA type # 429

Myzostomum cirricostatum POLYCHAETA type # 428

Myzostomum longimanum POLYCHAETA type # 164

Myzostomum maculatum POLYCHAETA type # 430

Myzostomum terminale POLYCHAETA type # 427

Myzostomum tuberculatum POLYCHAETA type # 166

Jägersten, Gösta. 1940a.

Zur Kenntnis der äusseren Morphologie, Entwicklung und Ökologie von *Protodrilus rubropharyngeus* n.sp.

- Ark. Zool. 32A, No. 16: 1-19.

Protodrilus rubropharyngeus ARCHIANNELIDA type # 421

Jägersten, Gösta. 1940b.

Zur Kenntnis von *Glanduloderma myzostomatis* n.gen., n.sp., einer eigentümlichen, in Myzostomiden schmarotzenden Turbellarienform.

- Ark. Zool. 33A, No. 3: 1-24.

Glanduloderma myzostomatis TURBELLARIA type # 426

Jägersten, Gösta. 1952.

Studies on the morphology, larval development and biology of *Protodrilus*.

- Zool. Bidr. Uppsala 29: 425-512.

Protodrilus adhaerens ARCHIANNELIDA type # 422

Protodrilus bahusiensis ARCHIANNELIDA type # 424

Protodrilus ciliatus ARCHIANNELIDA type # 423

Protodrilus robustus ARCHIANNELIDA type # 425

Jägersten, Gösta. 1956.

Investigations on *Siboglinum ekmani*, n.sp., encountered in Skagerak.
- Zool. Bidr. Uppsala 31: 211-252.

Siboglinum ekmani POGONOPHORA type # 420

Kükenthal, W. 1905.

Versuch einer Revision der Alcyonarien. II. Die Familie den Nephthyiden. 2. Teil. Die Gattungen *Dendronephthya* n.g. und *Stereonephthya* n.g.

- Zool. Jb., Abt. 1, Vol. 21: 503-726.

Dendronephthya gracillima ANTHOZOA type # 76

Lilljeborg, Wilhelm. 1844.

Beskrifning af 2:ne för Skandinaviens fauna nya däggdjur.

- K. svenska VetenskAkad. Handl. 1843: 5-73.

Myodes schisticolor MAMMALIA type # 159

Lilljeborg, Wilhelm. 1851.

Ny art af fiskslägtet *Platessa*.

- Öfvers. K. svenska VetenskAkad. Förhandl. 7: 5-6.

Platessa dwinensis PISCES type # 515

Lilljeborg, Wilhelm. 1852.

Norges Crustacéer.

- Öfvers. K. svenska VetenskAkad. Förhandl. 8: 19-25.

Aega rotundicauda CRUSTACEA type # 518

Anonyx norvegicus CRUSTACEA type # 519

Galathea intermedia CRUSTACEA type # 516

Gammarus assimilis CRUSTACEA type # 517

Lilljeborg, Wilhelm. 1853a.

Hafs-Crustaceer vid Kullaberg.

- Öfvers. K. svenska VetenskAkad. Förhandl. 9: 1-12.

Ampelisca macrocephala CRUSTACEA type # 520

Amphithoë compressa CRUSTACEA type # 521

Amphithoë pygmaea CRUSTACEA type # 522

Gammarus maculatus CRUSTACEA type # 523

Lilljeborg, Wilhelm. 1853b.

De Crustaceis ex ordinibus tribus: Cladocera, Ostracoda et Copepoda, in Scania occurrentibus. (Om de inom Skåne förekommande crustaceer af ordningarne Cladocera, Ostracoda och Copepoda.)

- Lund.

Cyclops gracilis CRUSTACEA type # 467

Cyclops magniceps CRUSTACEA type # 468

Cypridina globosa CRUSTACEA type # 469

Cythere nitida CRUSTACEA type # 471

Dias longiremis CRUSTACEA type # 472

Ichthyophorba hamata CRUSTACEA type # 473

Lynceus exiguus CRUSTACEA type # 474

Philomedes longicornis CRUSTACEA type # 475

Podon intermedius CRUSTACEA type # 476

Temora velox CRUSTACEA type # 477

Lilljeborg, Wilhelm. 1855.

Öfversigt af de inom Skandinavien hittills funna arterna af släktet Gammarus Fabr.

- K. svenska VetenskAkad. Handl. 1853: 443-460.

Gammarus erythropthalmus CRUSTACEA type # 525

Gammarus macronyx CRUSTACEA type # 526

Gammarus mutatus CRUSTACEA type # 524

Lilljeborg, Wilhelm. 1856.

Om Hafs-Crustaceer vid Kullaberg i Skåne.

- Öfvers. K. svenska VetenskAkad. Förhandl. 12: 117-138.

Ampelisca laevigata CRUSTACEA type # 527

Ampelisca tenuicornis CRUSTACEA type # 528

Anceus oxyuraeus CRUSTACEA type # 533

Cuma ampullacea CRUSTACEA type # 531

Cuma rubicunda CRUSTACEA type # 529

Cuma tumida CRUSTACEA type # 530

Haploops carinata CRUSTACEA type # 535

Haploops tubicola CRUSTACEA type # 534

Leucon nasicooides CRUSTACEA type # 532

Lilljeborg, Wilhelm. 1859.

Några anmärkningsvärda former af *Clausilia rugosa*, Draparnaud, Rossmässler, eller *Claus. nigricans*, Matan and Rackett, Forbes and Hanley, hvilka förut hos oss dels icke blifvit anmärkte, och dels blifvit förvexlade med andra.

- Öfvers. K. svenska VetenskAkad. Förhandl. 14: 61-73.

Clausilia rugosa MOLLUSCA type # 191

Lilljeborg, Wilhelm. 1860a.

Liriope och Peltogaster H.Rathke. (Cf. Lilljeborg 1860b and 1861a-b.)

- Öfvers. K. svenska VetenskAkad. Förhandl. 16: 213-217.

Peltogaster microstoma CRUSTACEA type # 392

Peltogaster sulcatus CRUSTACEA type # 390

Lilljeborg, Wilhelm. 1860b.

Om de parasitiska crustaceerna: Liriope och Peltogaster, H. Rathke. (Supplementary description of # 390 and # 392. Cf. Lilljeborg 1860a.)

- Uppsala K. VetenskSoc. Årsskr. 1860: 137-147.

Lilljeborg, Wilhelm. 1860c.

Fynd af en stor del af ett fossilt hvalskelett på Gräsön i Roslagen. (Supplementary data without formal description/naming of # 205. Cf. Lilljeborg 1861e.)

- Öfvers. K. svenska VetenskAkad. Förhandl. 16: 327-239.

Lilljeborg, Wilhelm. 1861a.

Les genres Liriope et Peltogaster, H. Rathke. (Supplementary description of # 390 and # 392. Cf. Lilljeborg 1860a.)

- Nova Acta Soc. Sci. upsal., Ser. 3, Vol. 3: 35 pp.

Lilljeborg, Wilhelm. 1861b.

Supplément au mémoire sur les genres Liriope et Peltogaster, H. Rathke. (Includes supplementary description of # 390 and # 392. Cf. Lilljeborg 1860a and 1861f.)

- Nova Acta Soc. Sci. upsal., Ser. 3, Vol. 3: 30 pp.

Clistosaccus paguri CRUSTACEA type # 470

Lilljeborg, Wilhelm. 1861c.

Beskrifning öfver tvenne märkliga crustaceer af ordningen Cladocera. (Cf. Lilljeborg 1861d.)

- Öfvers. K. svenska VetenskAkad. Förhandl. 17: 265-271.

Leptodora hyalina CRUSTACEA type # 537

Lilljeborg, Wilhelm. 1861d.

Leptodora hyalina, Lillj., en märklig hittills obekant Crustacé af ordningen Cladocera. (Supplementary description of # 537. Cf. Lilljeborg 1861c.)

- Forh. skand. Naturf. Möde 8: 585-590.

Lilljeborg, Wilhelm. 1861e.

Hvalben funna i jorden på Gräsön i Roslagen i Sverige. (Cf. Lilljeborg 1860c, 1862, and 1867a.)

- Forh. skand. Naturf. Möde 8: 599-616.

Balaenoptera robusta MAMMALIA type # 205

Lilljeborg, Wilhelm. 1861f.

Om Liriope och Peltogaster H.Rathke. (Supplementary description of # 390, # 392, and # 470. Cf. Lilljeborg 1860a and 1861b.)

- Forh. skand. Naturf. Möde 8: 677-685.

Lilljeborg, Wilhelm. 1862.

Öfversigt af Skandinaviens hvaldjur. (Supplementary description of # 205. Cf. Lilljeborg 1861e and 1866.) (# 443 is treated without naming. Cf. Lilljeborg 1867a.)

- Uppsala Univ. Årsskr. 1861/1862, 118 pp.

Lilljeborg, Wilhelm. 1863.

Beskrifning öfver två arter crustaceer af ordningarna Ostracoda och Copepoda.

- Öfvers. K. svenska VetenskAkad. Förhandl. 19: 391-398.

Cythere relictæ CRUSTACEA type # 543

Diaptomus saliens CRUSTACEA type # 544

Lilljeborg, Wilhelm. 1864.

Bidrag till kännedomen om de inom Sverige och Norrige förekommande Crustaceer af Isopodernas underordning och Tanaidernas familj.

- Uppsala Univ. Årsskrift 1865, 32 pp.

Tanais aequiremis CRUSTACEA type # 449

Tanais brevicornis CRUSTACEA type # 444

Tanais brevimanus CRUSTACEA type # 451

Tanais breviremis CRUSTACEA type # 450

Tanais filiformis CRUSTACEA type # 452

Tanais forcipatus CRUSTACEA type # 446

Tanais graciloides CRUSTACEA type # 447

Tanais longiremis CRUSTACEA type # 448

Tanais tenuimanus CRUSTACEA type # 445

Lilljeborg, Wilhelm. 1865.

Bidrag till kännedomen om underfamiljen Lysianassia inom underordningen Amphipoda bland kräftdjuren.

- Uppsala Univ. Årsskrift 1865, 25 pp.

Anonyx brachycercus CRUSTACEA type # 216

Anonyx nanoides CRUSTACEA type # 214

Lilljeborg, Wilhelm. 1867a.

On two subfossil Whales discovered in Sweden. (Cf. Lilljeborg 1862.)

- Nova Acta Soc. Sci. upsal., Series 3, Vol. 6: 1-48.

Hunterius Svedenborgii MAMMALIA type # 443

Lilljeborg, Wilhelm. 1867b.

Description of *Halcrosia afzelii*, a new crocodile from Sierra Leone, West Africa.
- Proc. zool. Soc. Lond.

Halcrosia afzelii REPTILIA type # 302

Lilljeborg, Wilhelm. 1868.

On the *Lysianassa magellanica* H. Milne Edwards, and on the Crustacea of the suborder Amphipoda and subfamily Lysianassina found on the coast of Sweden and Norway.

- Nova Acta Soc. Sci. upsal., Vol. 6, fasc. 2: 1-38.

Euphasia glacialis CRUSTACEA type # 538

Oediceropsis brevicornis CRUSTACEA type # 540

Tiron acanthurus CRUSTACEA type # 539

Lilljeborg, Wilhelm. 1877.

Synopsis Crustaceorum Svecicorum ordinis Branchiopodorum et subordinis Phyllopodorum.

- Nova Acta Soc. Sci. upsal., Extra Vol. 1877, No. 13: 1-20.

Apus macrurus CRUSTACEA type # 545

Lilljeborg, Wilhelm. 1883.

Collection of chiefly fresh-water Crustacea from Sweden.

- Special Catal. Great Int. Fisheries Exhibition 1883, Div. 50: 1-11.

Cypris fischeri CRUSTACEA type # 304

Lilljeborg, Wilhelm. 1887a.

Contributions to the natural history of the Commander Islands.

- Proc. U.S. nat. Mus. 10: 154-156.

Daphnia longispina abbreviata CRUSTACEA type # 546

Diaptomus ambiguus CRUSTACEA type # 548

Eurycercus glacialis CRUSTACEA type # 547

Lilljeborg, Wilhelm. 1887b.

In: O.Zacharias. Zur Kenntnis der pelagischen und littoralen Fauna norddeutschen Seen.

- Z. wiss. Zool. 45: 255-281.

Bosmina coregoni humilis CRUSTACEA type # 553

Bosmina crassicornis CRUSTACEA type # 555

Lilljeborg, Wilhelm. 1888.

Description de deux espèces nouvelles de *Diaptomus* du nord de l'Europe.

- Bull. Soc. zool. Fr. 13: 156-158.

Diaptomus graciloides CRUSTACEA type # 609

Diaptomus serricornis CRUSTACEA type # 610

Lilljeborg, Wilhelm. 1889a.

In: De Guerne, J. & Richard, J. Révision des Calanides d'eau douce.
- Mém. Soc. zool. Fr. 2: 53-181.

- Diaptomus eiseni* CRUSTACEA type # 611
- Diaptomus franciscanus* CRUSTACEA type # 612
- Diaptomus glacialis* CRUSTACEA type # 613
- Diaptomus laciniatus* CRUSTACEA type # 614
- Diaptomus lobatus* CRUSTACEA type # 615
- Diaptomus minutus* CRUSTACEA type # 616
- Diaptomus mirus* CRUSTACEA type # 617
- Diaptomus oregonensis* CRUSTACEA type # 618
- Diaptomus siciloides* CRUSTACEA type # 619
- Diaptomus signicauda* CRUSTACEA type # 620
- Diaptomus theeli* CRUSTACEA type # 621
- Diaptomus trybomi* CRUSTACEA type # 622
- Epischura nevadensis* CRUSTACEA type # 623
- Epischura nordenskiöldi* CRUSTACEA type # 624

Lilljeborg, Wilhelm. 1889b.

Diagnosen zweier Phyllopoden-Arten aus Südbrasilien.
- Abh. naturw. Ver. Bremen 10: 424.

- Branchinecta iheringii* CRUSTACEA type # 514

Lilljeborg, Wilhelm. 1890.

In: Sars, G.O. Oversigt af Norges crustaceer med foreløbige bemaerkninger over de nye eller mindre bekjendte arter.

- Forh. VidenskSelsk. Kristiania 1890, No. 1: 1-80.

- Bosmina brevispina* CRUSTACEA type # 640
- Bosmina elegans* CRUSTACEA type # 641
- Bosmina similis* CRUSTACEA type # 639
- Bythotrephes borealis* CRUSTACEA type # 644
- Chydorus gibbus* CRUSTACEA type # 643
- Chydorus minor* CRUSTACEA type # 642
- Cypria lacustris* CRUSTACEA type # 645
- Scapholeberis microcephala* CRUSTACEA type # 638

Lilljeborg, Wilhelm. 1891.

Sveriges och Norges fiskar.

- Uppsala.

- Coregonus wartmanni hypsilorhynchus* PISCES type # 648
- Coregonus wartmanni tapinorhynchus* PISCES type # 647

Lilljeborg, Wilhelm. 1894.

In: Wesenberg-Lund, C. Grönlands ferskvandsentomostraca. 1. Phyllopoda branchiopoda et cladocera.

- Vidensk. Medd. dansk naturh. Foren. Kbh. 1894: 82-173.

- Bosmina arctica* CRUSTACEA type # 646

Lilljeborg, Wilhelm. 1900.

Entomostracéen während der schwedischen wissenschaftlichen Expeditionen der Jahre 1868, 1898 und 1899 auf der Bäreninsel eingesammelt.

- Bih. K. svenska VetenskAkad. Handl. 26, Section 4, No. 5: 3-14.

- Cyclops vicinus glacialis* CRUSTACEA type # 637

Lilljeborg, Wilhelm. 1901a.

Cladocera Suecicae. (Beiträge zur Kenntniss der in Schweden lebenden Krebsthiere von der Ordnung der Branchiopoden und der Unterordnung der Cladoceren.)

- Nova Acta Soc. Sci. upsal. 19: 1-701.

- Acroperus neglectus* CRUSTACEA type # 559
- Alonopsis ambigua* CRUSTACEA type # 560
- Bosmina coregoni retroextensa* CRUSTACEA type # 554
- Bosmina crassicornis angulata* CRUSTACEA type # 556
- Bosmina crassicornis rotundata* CRUSTACEA type # 557
- Bosmina globosa* CRUSTACEA type # 558
- Bosmina insignis devergens* CRUSTACEA type # 552
- Bosmina insignis insignis* CRUSTACEA type # 551
- Bosmina longispina macrocerastes* CRUSTACEA type # 549
- Bosmina longispina megalops* CRUSTACEA type # 550
- Bythotrephes cederstroemi connectens* CRUSTACEA type # 636
- Bythotrephes cederstroemi robustus* CRUSTACEA type # 635
- Bythotrephes longimanus arcticus* CRUSTACEA type # 633
- Bythotrephes longimanus brevimanus* CRUSTACEA type # 634
- Ceriodaphnia affinis* CRUSTACEA type # 349
- Chydorus pigroides* CRUSTACEA type # 561

Lilljeborg, Wilhelm. 1901b.

Synopsis specierum huc usque in Suecia observatarum generis Cyclopis. (Bidrag till en öfversigt af de inom Sverige iakttagna arterna af släktet Cyclops.)

- K. svenska VetenskAkad. Handl. 35, No. 4: 1-118.

- Cyclops kolensis* CRUSTACEA type # 502
- Cyclops languidoides* CRUSTACEA type # 503
- Cyclops miniatus* CRUSTACEA type # 505
- Cyclops varius brachyurus* CRUSTACEA type # 510
- Cyclops varius proximus* CRUSTACEA type # 509
- Cyclops varius speratus* CRUSTACEA type # 508
- Cyclops varius varius* CRUSTACEA type # 507
- Cyclops rubellus* CRUSTACEA type # 506
- Cyclops macruroides* CRUSTACEA type # 504
- Cyclops abyssicola* CRUSTACEA type # 501

Lilljeborg, Wilhelm. 1902a.

Synopsis specierum huc usque in aquis dulcibus sueciae observatarum familiae Harpacticidarum. (Bidrag till en öfversigt af de uti Sveriges färska vatten hittills iakttagna arterna af familjen Harpacticidae.)

- K. svenska VetenskAkad. Handl. 36, No. 1: 1-75.

- Canthocamptus arcticus* CRUSTACEA type # 151
- Canthocamptus insignipes* CRUSTACEA type # 152
- Canthocamptus megalops* CRUSTACEA type # 75
- Canthocamptus rubellus* CRUSTACEA type # 19
- Iliophilus flexibilis* CRUSTACEA type # 156

Lilljeborg, Wilhelm. 1902b.

Tres species novae generis Canthocampti e Novaja Semlja et Sibiria boreali. (Trenne nya arter af släktet Canthocamptus från Novaja Semlja och norra Sibirien.)

- Bih. K. svenska VetenskAkad. Handl. 28, Section 4, No. 9: 1-20.

- Canthocamptus nordenskiöldii* CRUSTACEA type # 186
- Canthocamptus similis* CRUSTACEA type # 187

Linder, Folke. 1932.

Die Branchiopoden des arktischen Gebietes.

- Fauna Arctica 6: 183-204.

Artemiopsis stefanssoni CRUSTACEA type # 670

Linder, Folke. 1941.

Contributions to the morphology and the taxonomy of the Branchiopoda Anostraca.

- Zool. Bidr. Uppsala 20: 101-302.

Branchinella affinis CRUSTACEA type # 661

Branchinella affinis wonganensis CRUSTACEA type # 662

Branchinella apophysata CRUSTACEA type # 663

Branchinella compacta CRUSTACEA type # 657

Branchinella denticulata CRUSTACEA type # 664

Branchinella lyrifera CRUSTACEA type # 660

Branchinella nichollsi CRUSTACEA type # 659

Branchinella simplex CRUSTACEA type # 658

Parartemia contracta CRUSTACEA type # 225

Parartemia longicaudata CRUSTACEA type # 224

Parartemia serventyi CRUSTACEA type # 656

Thamnocephalus platyurus mexicanus CRUSTACEA type # 665

Linder, Folke. 1952.

Contributions to the morphology and taxonomy of the Branchiopoda Notostraca, with special reference to the North American species.

- Proc. U.S. nat. Mus. 102: 1-69.

Lepidurus lynchi CRUSTACEA type # 223

Lepidurus lynchi echinatus CRUSTACEA type # 226

Lindgren, Nils Gustaf. 1897.

Beitrag zur Kenntnis der Spongienfauna des Malaiischen Archipelags und der Chinesischen Meere. (Cf. Lindgren 1898.)

- Zool. Anz. 20: 480-487.

Caminus chinensis SPONGIARIA type # 5

Dendoryx mollis SPONGIARIA type # 18

Dorypleres biangulata SPONGIARIA type # 9

Erylus decumbens SPONGIARIA type # 1

Esperella macrosigma SPONGIARIA type # 17

Gellius strongylatus SPONGIARIA type # 23

Geodia arripiens SPONGIARIA type # 3

Geodia distincta SPONGIARIA type # 4

Halichondria armata SPONGIARIA type # 27

Halichondria variabilis SPONGIARIA type # 28

Latrunculia laevis SPONGIARIA type # 351

Pachychalina melior tubulifera SPONGIARIA type # 25

Petrosia nigricans SPONGIARIA type # 391

Rhaphidophlus filifer spinifera SPONGIARIA type # 16

Rhaphidophlus ridleyi SPONGIARIA type # 352

Siphonochalina truncata SPONGIARIA type # 24

Spirastrella semilunaris SPONGIARIA type # 8

Stelletta tenuis SPONGIARIA type # 2

Lindgren, Nils Gustaf. 1898.

Beitrag zur Kenntnis der Spongienfauna des Malayischen Archipels und der Cinesischen Meere. (Supplementary description of # 1-5, # 8-9, # 16-18, # 23-25. Cf. Lindgren 1897.)

- Zool. Jb., Abt. 1, Vol. 11: 283-378.

Lindroth, Stig. 1953.

Taxonomic and zoogeographical studies of the ostracod fauna in the inland waters of East Africa.

- Zool. Bidr. Uppsala 30: 43-156.

Cypridopsis meruensis CRUSTACEA type # 607

Cyprinotus humilis CRUSTACEA type # 229

Cyprinotus intermedius CRUSTACEA type # 604

Cyprinotus kliei CRUSTACEA type # 603

Cyprinotus nonstriatus CRUSTACEA type # 605

Eucypris kenyensis CRUSTACEA type # 601

Eucypris montana CRUSTACEA type # 228

Limnocythere africana minor CRUSTACEA type # 608

Stenocypris decipiens anomala CRUSTACEA type # 606

Lindström, G. 1856.

Bidrag till kännedomen om Östersjöns invertebrat-fauna.

- Öfvers. K. svenska VetenskAkad. Förhandl. 12: 49-73.

Bathyporeia pilosa CRUSTACEA type # 536

Lönnberg, Einar. 1889.

Bidrag till kännedomen om i Sverige förekommande cestoder.

- Bih. K. svenska VetenskAkad. Handl. 14, Section 4, No. 9: 1-72.

Acanthobothrium benedenii CESTODA type # 459

Anthobothrium elegantissimum CESTODA type # 457

Taenia erostris CESTODA type # 456

Taenia gracilis tadornae CESTODA type # 455

Tritaphros retzii CESTODA type # 458

Lönnberg, Einar. 1890.

Helminthologische Beobachtungen von der Westküste Norwegens. Erster Teil. Cestoden.

- Bih. K. svenska VetenskAkad. Handl. 16, Section 4, No. 5: 1-47.

Ophryocotyle insignis CESTODA type # 462

Lönnberg, Einar. 1892.

Anatomische Studien über skandinavische Cestoden 2. Zwei Parasiten aus Walfischen und zwei aus *Lamna cornubica*.

- K. svenska VetenskAkad. Handl. 24, No. 16: 1-31.

Diplobothrium affine CESTODA type # 454

Diplogonoporus balaenopterae CESTODA type # 115

Lönnberg, Einar. 1893.

Bemerkung über einige Cestoden.

- Bih. K. svenska VetenskAkad. Handl. 18, Section 4, No. 6: 1-17.

Bothriocephalus punctatus motellae CESTODA type # 461

Onchobothrium schizacanthum CESTODA type # 108

Taenia erostris CESTODA type # 460

Lönnberg, Einar. 1894a.

List of fishes observed and collected in South-Florida.

- Öfvers. K. svenska VetenskAkad. Förhandl. 1894: 109-131.

Elassoma evergladei orlandicum PISCES type # 344

Lönnberg, Einar. 1894b.

Cambarids from Florida. A new blind species, *Cambarus acherontis* mihi.

- Bih. K. svenska VetenskAkad. Handl. 20, Section 4, No. 1: 1-14.

Cambarus acherontis CRUSTACEA type # 350

Lönnberg, Einar. 1894c.

Ueber eine neue Tetrabothriumspecies und die Verwandtschaftsverhältnisse der Ichthyotänien.

- Zbl. Bakt. 15: 801-803.

Tetrabothrium trionychinum CESTODA type # 111

Lönnberg, Einar. 1894d.

Notes on reptiles and batrachians collected in Florida in 1892 and 1893.

- Proc. U.S. nat. Mus. 17: 317-339.

Natrix fasciata atra REPTILIA type # 289

Lönnberg, Einar. 1895a.

Notes on fishes collected in the Cameroons by Mr. Y.Sjöstedt.

- Öfvers. K. svenska VetenskAkad. Förhandl. 1895: 179-195.

Clarias camerunensis PISCES type # 283

Fundulus bivittatus PISCES type # 282

Fundulus sjöstedti PISCES type # 272

Gymnolabes typus heterocercalis PISCES type # 566

Pimelodus guttatus PISCES type # 567

Synodontis marmoratus PISCES type # 281

Lönnberg, Einar. 1895b.

Notes on fishes collected at Hayti by Capt. Conrad Eckman.

- Öfvers. K. svenska VetenskAkad. Förhandl. 1895: 657-663.

Haemulon eckmani PISCES type # 568

Lönnberg, Einar. 1896a.

Notes on some rare cephalopods.

- Öfvers. K. svenska VetenskAkad. Förhandl. 1896: 603-612.

Mastigoteuthis levimana MOLLUSCA type # 343

Lönnberg, Einar. 1896b.

Two cephalopods from Teneriffe collected by A.Tullgren.

- Öfvers. K. svenska VetenskAkad. Förhandl. 1896: 697-706.

Ommatostrephes bartramii sinuosus MOLLUSCA type # 126

Sepia verrucosa MOLLUSCA type # 128

Lönnberg, Einar. 1896c.

Cestoden der Hamburger Magalhaensischen Sammelreise. In: Hamburger Magalhaensische Sammelreise.

- Hamburg.

Bothridiotaenia erostris eudyptidis CESTODA type # 107

Ptychophysa michaelsonii CESTODA type # 215

Taenia filum CESTODA type # 110

Lönnberg, Einar. 1899.

Clava glomerata mihi, eine anscheinend neue Hydroide.

- Zool. Anz. 22, No. 578: 45-46.

Clava glomerata HYDROZOA type # 31

Lönnerberg, Einar. 1900.

Reptiles and batrachians collected in German New Guinea by the late Dr. Erik Nyman.

- Ann. Mag. nat. Hist., Series 7, Vol. 6: 574-582.

Hyla eucnemis ANURA type # 288

Hyla obsoleta ANURA type # 287

Pseudopistocalamus nymani REPTILIA type # 290

Lönnerberg, Einar. 1903.

On a collection of fishes from the Cameroon containing new species.

- Ann. Mag. nat. Hist., Series 7, Vol. 12: 37-46.

Pelmatochromis boulengeri PISCES type # 569

Tilapia lata camerunensis PISCES type # 284

Tilapia linnellii PISCES type # 570

Lönnerberg, Einar. 1904.

On some fishes from the lakes of the Cameroon Mountain.

- Ann. Mag. nat. Hist., Series 7, Vol. 12: 135-139.

Barbus linnelli PISCES type # 572

Tilapia kottae PISCES type # 571

Lönnerberg, Einar. 1905.

The fishes of the Swedish South Polar Expedition.

- Wiss. Ergebn. schwed. Südpolarexped. 5, Fasc. 6: 1-69.

Champsocephalus gunnari PISCES type # 578

Notothenia brevipes PISCES type # 573

Notothenia gibberifrons PISCES type # 574

Notothenia larseni PISCES type # 576

Notothenia mizops nudifrons PISCES type # 575

Trematomus hansonii georgianus PISCES type # 577

Mackie, A. S. Y. 1991.

Paradoneis eliasoni sp. nov. (Polychaeta: Paraonidae) from Northern European waters, with a redescription of *Paradoneis lyra* (Southern, 1914).

- Ophelia Suppl. 5: 147-155.

Paradoneis eliasoni POLYCHAETA type # 291

McMurrich, J. Playfair. 1901.

Contributions on the morphology of the Actinozoa.

- Biol. Bull. 2: 155-163.

Halcurias carlgreni ANTHOZOA type # 705

Matschie, Paul. 1911.

Über einige Säugetiere aus Muansa am Victoria-Nyansa.

- S.B. Ges. naturf. Fr. Berlin 8: 333-343.

Lophuromys tullbergi MAMMALIA type # 348

Melin, Gustaf. 1939.

Paguriden und Galatheiden von Prof. Dr. Sixten Bocks Expedition nach den Bonin-Inseln 1914.

- K. svenska VetenskAkad. Handl., Series 3, Vol 18, No. 2: 1-119.

Bathymunida quadratirostrata CRUSTACEA type # 435

Callianidea planocula CRUSTACEA type # 437

Eupagurus boninensis CRUSTACEA type # 438

Eupagurus exiguus CRUSTACEA type # 432

Eupagurus facetus CRUSTACEA type # 440

Eupagurus fragilis CRUSTACEA type # 439

Eupagurus vallatus CRUSTACEA type # 442

Galathea serrirostris CRUSTACEA type # 434

Galathea ternatensis CRUSTACEA type # 441

Pachycheles fronto CRUSTACEA type # 433

Paguritta gracilipes CRUSTACEA type # 431

Petrolisthes securiger CRUSTACEA type # 436

Michaud, A.L.G. 1831.

Complément de l'histoire naturelle des mollusques terrestres et fluviatiles de la France, de J.P.R.Draparnaud.

- Verdun.

Limnea intermedia MOLLUSCA type # 129

Nilsson-Cantell, Carl-August. 1921.

Cirripeden-Studien. Zur Kenntnis der Biologie, Anatomie und Systematik dieser Gruppe.

- Zool. Bidr. Uppsala 7: 75-390.

Balanus acutus CRUSTACEA type # 325

Heteralepas typica CRUSTACEA type # 324

Lithotrya truncata longicaudata CRUSTACEA type # 322

Oxynaspis bocki CRUSTACEA type # 323

Scalpellum uniarticulatum CRUSTACEA type # 321

Tetraclita purpurascens chinensis CRUSTACEA type # 327

Nilsson-Cantell, Carl-August. 1925.

Neue und wenig bekannte Cirripeden.

- Ark. Zool. 18A, No. 3: 1-46.

Chthamalus stellatus cornutus CRUSTACEA type # 331

Elminius modestus laevis CRUSTACEA type # 333

Nutting, Charles C. 1908.

Descriptions of the Alcyonaria collected by the U.S. Bureau of Fisheries steamer Albatross in the vicinity of the Hawaiian Islands in 1902.

- Proc. U.S. nat. Mus. 34: 543-601.

Caligorgia gilberti ANTHOZOA type # 94

Calyptrophora versluysi ANTHOZOA type # 95

Chrysogorgia stellata ANTHOZOA type # 100

Clematissa alba ANTHOZOA type # 92

Clematissa tenue ANTHOZOA type # 87

Iridogorgia bella ANTHOZOA type # 98

Iridogorgia superba ANTHOZOA type # 99

Stenella helminthophora ANTHOZOA type # 97

Nutting, Charles C. 1909.

Alcyonaria of the Californian coast.

- Proc. U.S. nat. Mus. 35: 681-727.

Psammogorgia simplex ANTHOZOA type # 89

Psammogorgia torreyi ANTHOZOA type # 88

Nutting, Charles C. 1912.

Descriptions of the Alcyonaria collected by the U.S. Fisheries steamer Albatross, mainly in Japanese waters, during 1906.

- Proc. U.S. nat. Mus. 43: 1-104.

Acis spinifera ANTHOZOA type # 91

Callistephanus pacificus ANTHOZOA type # 90

Muriceides cylindrica ANTHOZOA type # 93

Muriceides nigra ANTHOZOA type # 96

Nybelin, Orvar. 1922.

Anatomisch-systematische Studien über Pseudophylliden.

- Göteborgs VetenskSamh. Handl., Succ. 4, Vol. 6, No. 1: 1-228.

Eubothrium arcticum CESTODA type # 109

Eubothrium crassoides CESTODA type # 112

Parabothrium bulbiferum CESTODA type # 453

Nyström, E. 1887.

Redogörelse för den japanska fisksamlingen i Upsala universitets zoologiska museum.

- Bih. K. svenska VetenskAkad. Handl. 13, Section 4, No. 4: 1-54.

Bembras laevis PISCES type # 277

Dactylopterus peterseni PISCES type # 273

Ditrema smitti PISCES type # 274

Hapalogenys aculeatus PISCES type # 275

Lepidotrigla japonica PISCES type # 276

Raja japonica PISCES type # 278

Urolophus tullbergi PISCES type # 279

Odhner, Nils H. 1932.

Zur Morphologie und Systematik der Fissurelliden.

- Jena. Z. Naturwiss. 67: 292-309.

Fissurellidea annulus MOLLUSCA type # 398

Odhner, Nils H. 1936.

Mélanges Paul Pelseneer. Nudibranchia Dendronotacea. A revision of the system.

- Mém. Mus. Hist. nat. Belg., Series 2, Fasc. 3: 1057-1128.

Marionia granularis MOLLUSCA type # 133

Odhner, Theodor. 1905.

Die Trematoden des arktischen Gebietes.

- Fauna Arctica 4: 291-372.

Hemiurus communis TREMATODA type # 667

Orthosplanchnus arcticus TREMATODA type # 666

Odhner, Theodor. 1925.

Monographierte Gattungen der Krabbenfamilie Xanthidae.

- Göteborgs VetenskSamh. Handl., Succ. 4, Vol. 29, No. 1: 1-92.

Carpilodes caelatus CRUSTACEA type # 653

Carpilodes lophopus CRUSTACEA type # 213

Carpilodes striolatus CRUSTACEA type # 217

Ohlin, Axel. 1901.

Arctic Crustacea collected during the Swedish Arctic expeditions 1898, 1899 and 1900 under the direction of professor A. G. Nathorst and Mr. G. Kolthoff.

- Bih. K. svenska VetenskAkad. Handl. 27, Section 4, No. 8: 1-92.

Amblyops sarsii CRUSTACEA type # 541

Pseudomma théeli CRUSTACEA type # 542

Olsson, Peter. 1867.

Entozoa, iakttagna hos skandinaviska hafsfiskar. Platyelminthes. 1.

- Lunds Univ. Årsskr. 3: 1-59.

Echeneibothrium affine CESTODA type # 463

Olsson, Peter. 1867b.

Entozoa, iakttagna hos skandinaviska hafsfiskar. 1. Platyelminthes.

- Lunds Univ. Årsskr. 4: 1-64.

Distoma botryophoron TREMATODA type # 119

Distoma commune TREMATODA type # 466

Distoma furcigerum TREMATODA type # 118

Tetrabothrium norvegicum CESTODA type # 464

Olsson, Peter. 1869.

Nova genera parasitanti Copepodorum et Platyelminthium.

- Lunds Univ. Årsskr. 6: 1-6.

Trilocularia gracilis CESTODA type # 465

Pfeffer, Georg. 1912.

Die Cephalopoden der Plankton-Expedition. Zugleich eine monographische Übersicht der oegopsiden Cephalopoden.

- Ergebnisse der Plankton-Expedition der Humboldt-Stiftung. Vol. 2.

Enoploion eustictum MOLLUSCA type # 150

Pintner, Theodor. 1929.

Tetrarhynchen von den Forschungsreisen des Dr. Sixten Bock.

- Göteborgs VetenskSamh. Handl., Succ. 5, B, Vol. 1, No. 8: 1-48.

Stenobothrium syngenes CESTODA type # 113

Tetrarhynchobothrium nannocephalum CESTODA type # 114

Porat, C.O. von. 1889.

Nya bidrag till Skandinaviska halföns myriopodologi.

- Ent. Tidskr. 10: 33-48, 65-80, 113-148.

Iulus laeticollis MYRIAPODA type # 678

Polydesmus coriaceus borealis MYRIAPODA type # 677

Porat, C.O. von. 1895.

Zur Myriapodenfauna Kameruns.

- Bih. K. svenska VetenskAkad. Handl. 20, Section 4, No. 5: 1-90.

- Acanthiulus tuberculosus* MYRIAPODA type # 681
Aporodesmus crinitus MYRIAPODA type # 680
Aporodesmus gabonicus falcatus MYRIAPODA type # 686
Aporodesmus gabonicus subrectangulus MYRIAPODA type # 687
Cryptoporus dentosus MYRIAPODA type # 679
Cryptoporus verrucosus MYRIAPODA type # 231
Geophilus edentulus MYRIAPODA type # 240
Geophilus maculosus MYRIAPODA type # 237
Geophilus porosus MYRIAPODA type # 238
Geophilus quadrisulcatus MYRIAPODA type # 239
Geophilus uliginosus MYRIAPODA type # 236
Odontopyge accincta MYRIAPODA type # 685
Odontopyge trivialis MYRIAPODA type # 684
Paradesmus dorsicornis MYRIAPODA type # 235
Spirostreptus canaliculatus MYRIAPODA type # 233
Spirostreptus limbiger MYRIAPODA type # 683
Spirostreptus sjöstedti MYRIAPODA type # 230
Spirostreptus trachyurus MYRIAPODA type # 234
Strongylosoma scutigerinum MYRIAPODA type # 227
Thriniculus multicostis MYRIAPODA type # 682

Salvini-Plawen, Luitfried von. 1978.

Antarktische und subantarktische Solenogastres. Eine Monographie: 1898-1974.

- Zoologica 44, Fasc. 2, No. 128: 1-315.

- Dorymenia hoffmani* MOLLUSCA type # 149

Scheller, Ulf. 1954.

Symphyla from the Swedish East African expeditions in 1937-1938 and 1948, with a summary of the known African species.

- Ark. Zool. 7, No. 13: 227-240.

- Hanseniella afromontana* SYMPHYLA type # 703
Hanseniella elgonensis SYMPHYLA type # 704

Silén, Lars. 1938.

Zur Kenntnis des Polymorphismus der Bryozoen. Die Avicularien der Cheilostomata Anasca.

- Zool. Bidr. Uppsala 17: 149-366.

- Cellaria boninensis* BRYOZOA type # 380
Sarsiflustra japonica BRYOZOA type # 379

Silén, Lars. 1941.

Cheilostomata Anasca (Bryozoa) collected by Prof. Dr. Sixten Bock's expedition to Japan and the Bonin Islands 1914. (Cf. Silén 1942b.)

- Ark. Zool. 33A, No. 12: 1-130.

- Acanthodesia bocki* BRYOZOA type # 356
- Aetea boninensis* BRYOZOA type # 357
- Antropora erecta* BRYOZOA type # 358
- Beania discodermiae boninensis* BRYOZOA type # 359
- Bugula pugeti kiuschiuensis* BRYOZOA type # 361
- Callopora canui* BRYOZOA type # 362
- Camptoplites tubifera* BRYOZOA type # 363
- Caulibugula bocki* BRYOZOA type # 364
- Cauloramphus costatus* BRYOZOA type # 365
- Cauloramphus japonicus* BRYOZOA type # 366
- Chaperia transversalis boninensis* BRYOZOA type # 367
- Copidozoum transversum* BRYOZOA type # 368
- Crassimarginatella spinifera* BRYOZOA type # 369
- Cribralaria curvirostris* BRYOZOA type # 387
- Figularia figularis japonica* BRYOZOA type # 370
- Labiostomella gisleni* BRYOZOA type # 360
- Microporina okadai* BRYOZOA type # 371
- Pseudolapralia ellisinae* BRYOZOA type # 372
- Pyrulella boninensis* BRYOZOA type # 373
- Pyrulella tubulata triangulata* BRYOZOA type # 374
- Semikinetoskias dubia* BRYOZOA type # 375
- Spiralaria incrustans* BRYOZOA type # 376
- Tegella incrustata* BRYOZOA type # 377
- Tricellaria dubia* BRYOZOA type # 378

Silén, Lars. 1942a.

Carnosa and Stolonifera (Bryozoa) collected by Prof. Dr. Sixten Bock's expedition to Japan and the Bonin Islands 1914.

- Ark. Zool. 34A, No. 8: 1-33.

- Alcyonidium erectum* BRYOZOA type # 381
- Alcyonidium foliaceum* BRYOZOA type # 382
- Alcyonidium nanum* BRYOZOA type # 383
- Alcyonidium rugosum* BRYOZOA type # 122
- Bockiella angusta* BRYOZOA type # 123
- Mimosella bocki* BRYOZOA type # 384
- Vesicularia harmeri* BRYOZOA type # 385

Silén, Lars. 1942b.

Origin and development of the cheilo-ctenostomatous stem of Bryozoa. (New genus allocation of # 360. Cf. Silén 1941.)

- Zool. Bidr. Uppsala 22: 1-59.

Silén, Lars. 1947.

Conescharellinidae (Bryozoa Gymnolaemata) collected by Prof. Dr. Sixten Bock's expedition to Japan and the Bonin Island 1914.

- Ark. Zool. 39A, No. 9: 1-61.

- Crucesharellina japonica* BRYOZOA type # 386
- Flabellopora lingua* BRYOZOA type # 124

Skogsberg, Tage. 1920.

Studies on marine ostracods. Part 1 (cypridinids, halocyprids, and polycopids).

- Dissertation. Uppsala

Gigantocypris mülleri CRUSTACEA type # 342

Sparrman, Anders. 1789.

Museum Carlsonianum, in quo novae et selectae Aves, coloribus ad vivum brevique descriptione illustratas. Fasc. 4.

- Stockholm.

Hirundo javanica AVES type # 305

Stössich, Michele. 1890.

Brani di Elmintologia Tergestina. Serie settima.

- Boll. Soc. adriat. Sci. nat. Trieste 12: 39-47.

Distomum monorchis TREMATODA type # 120

Strömman, Pehr. 1896.

Leptocephalids in the university zoological museum at Upsala.

- Dissertation. Uppsala.

Leptocephalus crenatus PISCES type # 698

Leptocephalus curvirostris PISCES type # 410

Leptocephalus eckmani PISCES type # 692

Leptocephalus forsströmi PISCES type # 694

Leptocephalus fuliginosus PISCES type # 699

Leptocephalus humilis PISCES type # 696

Leptocephalus hyoprroides PISCES type # 702

Leptocephalus javanicus PISCES type # 697

Leptocephalus lanceolatus PISCES type # 701

Leptocephalus scheelei PISCES type # 693

Leptocephalus subinornatus PISCES type # 700

Leptocephalus tiluroides PISCES type # 411

Leptocephalus undulatus PISCES type # 695

Svensson, Gustav S. O. 1933.

Fresh water fishes from the Gambia River (British West Africa). Results of the Swedish expedition 1931.

- K. svenska VetenskAkad. Handl., Series 3, Vol. 12, No. 3: 1-102.

Gnathonemus gambiensis PISCES type # 404

Söderström, Adolf. 1920.

Studien über die Polychätenfamilie Spionidae.

- Dissertation. Uppsala.

Laonice appellöfi POLYCHAETA type # 347

Laonice bahusiensis POLYCHAETA type # 153

Laonice sarsi POLYCHAETA type # 154

Prionospio fallax POLYCHAETA type # 158

Théel, Hjalmar. 1879.

Preliminary report on the Holothuridae of the exploring voyage of H.M.S. Challenger, under Professor Sir C. Wyville Thomson F.R.S.

- Bih. K. svenska VetenskAkad. Handl. 5, No. 19: 1-20.

Elpidia globosa HOLOTHUROIDEA type # 691

Laetmogone wyville-thomsoni HOLOTHUROIDEA type # 690

Thunberg, Carl Peter. 1787a.

Museum naturalium academiae Upsaliensis. Part 2. (Cf. Hornstedt 1788 and Thunberg 1787c and 1791.)

- Dissertation (resp. L. M. Holmer). Uppsala.

Amphisbaena reticulata REPTILIA type # 180

Coluber strigilis REPTILIA type # 292

Coluber virgatus REPTILIA type # 722

Gobius patella PISCES type # 286

Lacerta abdominalis REPTILIA type # 301

Lacerta lateralis REPTILIA type # 300

Silurus lineatus PISCES type # 285

Testudo rostrata REPTILIA type # 241

Trigla rubicunda PISCES type # 303

Thunberg, Carl Peter. 1787b.

Beskrifning på trenne sköld-paddor. (Includes a supplementary description of # 241. Cf. Thunberg 1787a.)

- K. svenska VetenskAkad. nya Handl. 8: 178-180.

Testudo areolata REPTILIA type # 298.

Thunberg, Carl Peter. 1787c.

Beskrifning på några sällsynte och okände ödlor. (Supplementary description of # 300- 301. Cf. Thunberg 1787a.)

- K. svenska VetenskAkad. nya Handl. 8: 178-180.

Thunberg, Carl Peter. 1789.

Specimen ichthyologicum de Muraena et Ophichtho.

- Dissertation (resp. J. N. Ahl). Uppsala.

Muraena nebulosa PISCES type # 345

Thunberg, Carl Peter. 1790.

Beskrifning på tvänne fiskar ifrån Japan.

- K. svenska VetenskAkad. nya Handl. 7: 106-110.

Sciaena cataphracta PISCES type # 296

Thunberg, Carl Peter. 1791.

Tvänne utländska fiskar. (Supplementary description of # 285-286. Cf. Thunberg 1787a.)

- K. svenska VetenskAkad. nya Handl. 12: 190-192.

Thunberg, Carl Peter. 1793a.

Beskrifning på 2:ne nya fiskar af abborrsläktet ifrån Japan.

- K. svenska VetenskAkad. nya Handl. 14: 55-56.

Perca septemfasciata PISCES type # 280

Thunberg, Carl Peter. 1793b.

Beskrifning på nya fisk-arter utaf abborrsläktet ifrån Japan.

- K. svenska VetenskAkad. nya Handl. 14: 198-200.

Perca cirrosa PISCES type # 315

Thunberg, Carl Peter. 1807.

Beskrifning och teckning på tvänne artförändringar af et nytt species ibland ormar, Boa variegata kalladt.

- K. svenska VetenskAkad. nya Handl. 28: 1-4.

Boa variegata REPTILIA type # 313

Thunberg, Carl Peter. 1811.

Mammalia Capensia, recensita et illustrata.

- Mém. Acad. Sci. St-Pétersb. 3: 299-323.

Antilope melanotis MAMMALIA type # 354

Thunberg, Carl Peter. 1812.

In: A. F. Schweigger, Prodromus monographiae Cheloniorum.

- Königsb. Arch. Naturwiss. Math. 1: 271-458.

Testudo discolor REPTILIA type # 723

Thunberg, Carl Peter. 1815.

Tellinae, tres novae species.

- Nova Acta Soc. Sci. upsal. 7: 146-149.

Tellina japonica MOLLUSCA type # 353

Tellina lancea MOLLUSCA type # 355

Thunberg, Carl Peter. 1818.

Tekning af en ny art myr-ätare eller bälta ifrån Brasilien.

- K. svenska VetenskAkad. Handl. 1818: 65-68.

Dasypus multicinctus MAMMALIA type # 320

Thunberg, Carl Peter. 1819.

Tapera brasiliensis, ett nytt fogel-slägte.

- Göteborgs VetenskSamh. nya Handl. 3: 1-7.

Tapera brasiliensis AVES type # 155

Thunberg, Carl Peter. 1820.

Ursus brasiliensis, nova quaedem species, descripta et delineata.

- Mém. Acad. Sci. St-Pétersb. 7: 400-402.

Ursus brasiliensis MAMMALIA type # 319

Thunberg, Carl Peter. 1821.

Brachyurus, ett nytt fogel-slägte.

- K. svenska VetenskAkad. Handl. 1821: 369-371.

Brachyurus gularis AVES type # 306

Brachyurus ruber AVES type # 708

Thunberg, Carl Peter. 1822.

Piprae novae species descriptae.

- Mém. Acad. Sci. St-Pétersb. 8: 282-287.

Pipra atra AVES type # 242

Pipra brunnea AVES type # 339

Pipra caudata AVES type # 328

Pipra cephaleucos AVES type # 337

Pipra fasciata AVES type # 335

Pipra flavogaster AVES type # 338

Pipra forficata AVES type # 329

Pipra frontalis AVES type # 336

Pipra lineata AVES type # 330

Pipra viridis AVES type # 332

Thunberg, Carl Peter. 1823a.

Ampelis cujus novae species.

- Dissertation (resp. O. F. Tullberg). Uppsala.

Ampelis elegans AVES type # 709

Ampelis viridis AVES type # 710

Thunberg, Carl Peter. 1823b.

Description d'un nouveau genre d'oiseaux découvert dans le Brésil, et nommé Cotinga.

- Nouv. Mém. Soc. imp. Naturalistes Mosc. 6: 175-179.

Cotinga alba AVES type # 715

Cotinga regulus AVES type # 718

Cotinga speciosa AVES type # 716

Cotinga virescens AVES type # 717

Thunberg, Carl Peter. 1824.

Megarynchus.

- Dissertation (resp. O. A. Schaerström). Uppsala.

Megarynchus brunneus AVES type # 714

Megarynchus fasciatus AVES type # 712

Megarynchus griseus AVES type # 713

Megarynchus regius AVES type # 711

Tullberg, Tycho. 1893.

Ueber einige Muriden aus Kamerun.

- Nova Acta Soc. Sci. upsal., Series 3, Vol. 16, No. 12: 1-66.

Dasymys longicaudatus MAMMALIA type # 299

Mus rufocanus MAMMALIA type # 297

Wallin, Lars. 1969.

The Japanese bat fauna. A comparative study of chorology, species diversity and ecological differentiation.

- Zool. Bidr. Uppsala 37: 223-440.

Vespertilio orientalis MAMMALIA type # 190

Westerlund, Carl Agardh. 1871.

Exposé critique des mollusques de terre et d'eau douce de la Suède et de la Norvège.

- Nova Acta Soc. Sci. upsal., Series 3, Vol. 8, Fasc. 1, No. 1: 1-200.

Clausilia connectens MOLLUSCA type # 721

Westerlund, Carl Agardh. 1894.

Specilegium malacologicum. Neue Binnen-Conchylien aus der Paläarktischen Region.

- NachrBl. dtsh. malakozool. Ges. 1894: 163-177.

Hyalinia corcyrensis MOLLUSCA type # 192

Westerlund, Carl Agardh.

(The Westerlund collection of molluscs belonging to the Zoological Museum, Uppsala University is deposited in the Swedish Museum of Natural History, Stockholm.)

Widersten, Bernt. 1976.

Ceriantharia, Zoanthidae, Corallimorpharia, and Actinaria from the continental shelf and slope off the eastern coast of the United States.

- Fishery Bull. 74: 857-878.

Corynactis delawarei ANTHOZOA type # 719

Phelliactis americana ANTHOZOA type # 720

Ärnäck-Christie-Linde, A. 1929.

Chilean tunicates. Ascidians from the Guaitecas Islands.

- Ark. Zool. 21A, No. 6: 1-27.

Alloecarpa bacca TUNICATA type # 270

Didemnum chilense TUNICATA type # 269

Styela melincae TUNICATA type # 271

Sycozoa sigillinoides rigida TUNICATA type # 293

Trididemnum auriculatum separ TUNICATA type # 294

Östergren, Hjalmar. 1896.

Zur Kenntnis der Subfamilie Synallactinae unter den Aspidochiroten.
- Festschrift für Lilljeborg, pp. 345-360. Uppsala.

Bathyploetes fallax HOLOTHUROIDEA type # 247

Östergren, Hjalmar. 1898.

Zur Anatomie der Dendrochiroten, nebst Beschreibungen neuer Arten.
- Zool. Anz. 551: 102-136.

Colochirus robustus HOLOTHUROIDEA type # 246

Cucumaria koraeensis HOLOTHUROIDEA type # 250

Cucumaria longicauda HOLOTHUROIDEA type # 248

Pseudocucumis mixta HOLOTHUROIDEA type # 249

Psolus japonicus HOLOTHUROIDEA type # 689

Thyone anomala HOLOTHUROIDEA type # 243

Thyone polybranchia HOLOTHUROIDEA type # 245

Thyone serrifera HOLOTHUROIDEA type # 244

Östergren, Hjalmar. 1905.

Zur Kenntnis der skandinavischen und arktischen Synaptiden.
- Arch. Zool. exp. gén. 3: 133-164.

Synapta bergensis HOLOTHUROIDEA type # 251

ANTHOZOA

- Acalycigorgia wireni* Aurivillius, M. 1931, p. 41. Type # 51 .
Category: holotype . Type locality: Japan, Kyushu. Collector: S.Bock.
- Acanella microspiculata* Aurivillius, M. 1931, p. 317. Type # 80 .
Category: holotype? . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Acanthogorgia boninensis* Aurivillius, M. 1931, p. 59. Type # 70 a-c.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Acanthogorgia dofleini spinosa* Aurivillius, M. 1931, p. 55. Type # 71 a-b.
Category: syntypes . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Acanthogorgia gotoënsis* Aurivillius, M. 1931, p. 72. Type # 82 .
Category: holotype? . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Acanthogorgia hedlundi* Aurivillius, M. 1931, p. 76. Type # 48 a-b.
Category: syntypes . Type locality: Formosa Str. & Japan.
Collector: J.Petersen & S.Bock.
- Acanthogorgia inermis* Hedlund 1890, p. 6. Type # 56 .
Category: holotype . Type locality: South China Sea. Collector: J.Petersen.
- Acis spinifera* Nutting 1912, p. 82. Type # 91 .
Category: holotype (part of). Type locality: Pacific, Kagoshima.
Collector: USNM 30088.
- Anthogorgia bocki* Aurivillius, M. 1931, p. 90. Type # 50 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Aureliana japonica* Carlgren 1940, p. 35. Type # 101 .
Category: holotype? . Type locality: Japan, Sagami. Collector: S.Bock.
- Bebryce bocki* Aurivillius, M. 1931, p. 194. Type # 84 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Bebryce boninensis* Aurivillius, M. 1931, p. 200. Type # 69 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Bellonella cinerea* Brundin 1896, p. 8. Type # 63 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Bellonella rubra* Brundin 1896, p. 6. Type # 72 a-c.
Category: lectotype paratypes. Type locality: Japan, Hirado Strait.
Collector: E.Svenson.
- Caligorgia cristata* Aurivillius, M. 1931, p. 262. Type # 54 .
Category: holotype . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Caligorgia gilberti* Nutting 1908, p. 574. Type # 94 .
Category: holotype (part of). Type locality: Pacific, Hawaii. Collector: USNM 25364.
- Calliactis japonica* Carlgren 1928, p. 172. Type # 688 a-c.
Category: syntypes . Type locality: Japan, Kyushu. Collector: S.Bock.
- Callistephanus pacificus* Nutting 1912, p. 96. Type # 90 .
Category: holotype (part of). Type locality: Pacific, Aleutian Isl.
Collector: USNM 30024.
- Calyptrophora versluysi* Nutting 1908, p. 579. Type # 95 .
Category: holotype (part of). Type locality: Pacific, Hawaii. Collector: USNM 25382.
- Cerianthus filiformis* Carlgren 1922, p. 169. Type # 418 .
Category: syntype . Type locality: Japan, Sagami. Collector: S.Bock.
- Cerianthus japonicus* Carlgren 1922, p. 173. Type # 419 .
Category: syntype . Type locality: Japan, Sagami. Collector: S.Bock.
- Chrysogorgia sphaerica* Aurivillius, M. 1931, p. 307. Type # 73 .

Category: syntype . Type locality: Japan, Sagami. Collector: S.Bock.

ANTHOZOA

- Chrysogorgia stellata* Nutting 1908, p. 592. Type # 100 .
Category: holotype (part of). Type locality: Pacific, Hawaii. Collector: USNM 25380.
- Clematissa alba* Nutting 1908, p. 582. Type # 92 .
Category: holotype (part of). Type locality: Pacific, Hawaii. Collector: USNM 25378.
- Clematissa tenue* Nutting 1908, p. 583. Type # 87 .
Category: holotype (part of). Type locality: Pacific, Hawaii. Collector: USNM 22569.
- Corynactis delawarei* Widersten 1976, p. 858. Type # 719 a-e.
Category: holotype . Type locality: Atlantic Ocean. Collector: Bur.Fish., Woods Hole.
- Dendronephthya gracillima* Kükenthal 1905, p. 623. Type # 76 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Echinogorgia japonica* Aurivillius, M. 1931, p. 185. Type # 85 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Echinomuricea peterseni* Hedlund 1890, p. 11. Type # 49 .
Category: holotype . Type locality: South China Sea. Collector: J.Petersen.
- Euplexaura anastomosans* Brundin 1896, p. 20. Type # 32 .
Category: holotype . Type locality: Japan. Collector: Petersen & Kjellman.
- Euplexaura javensis* Aurivillius, M. 1931, p. 234. Type # 55 .
Category: holotype . Type locality: Indonesia, Java. Collector: C.Aurivillius.
- Euplexaura multiflora* Aurivillius, M. 1931, p. 235. Type # 52 .
Category: holotype . Type locality: South China Sea. Collector: J.Petersen.
- Filigella boninensis* Aurivillius, M. 1931, p. 139. Type # 68 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Halcurias carlgreni* McMurrich 1901, p. 159. Type # 705 .
Category: syntypes . Type locality: Japan. Collector: E.Svenson.
- Iciligorgia boninensis* Aurivillius, M. 1931, p. 11. Type # 78 a-b.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Iridogorgia bella* Nutting 1908, p. 594. Type # 98 .
Category: holotype (part of). Type locality: Pacific, Hawaii. Collector: USNM 25359.
- Iridogorgia superba* Nutting 1908, p. 595. Type # 99 .
Category: holotype (part of). Type locality: Pacific, Hawaii. Collector: USNM 25316.
- Isactinernus quadrilobatus* Carlgren 1918, p. 29. Type # 102 .
Category: holotype? . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Metarhodactis boninensis* Carlgren 1943, p. 18. Type # 632 .
Category: syntype? . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Muriceides cylindrica* Nutting 1912, p. 76. Type # 93 .
Category: holotype (part of). Type locality: Pacific, Amchitka Isl.
Collector: USNM 30046.
- Muriceides nigra* Nutting 1912, p. 77. Type # 96 .
Category: holotype (part of). Type locality: Bering Sea, Attu Isl. Collector: USNM.
- Nephthya jaegerskioeldi* Holm 1904, p. 6. Type # 417 .
Category: syntype . Type locality: Red Sea. Collector: L.A.Jägerskiöld.
- Phelliactis americana* Widersten 1976, p. 872. Type # 720 a-e.
Category: holotype . Type locality: Atlantic Ocean. Collector: Bur.Fish., Woods Hole.
- Plexauroides verrucosa* Brundin 1896, p. 17. Type # 81 a-b.

Category: syntypes . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
Plumarella dofleini boninensis Aurivillius, M. 1931, p. 243. Type # 65 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.

ANTHOZOA

- Primnoella philippii* Aurivillius, M. 1931, p. 281. Type # 62 .
Category: holotype . Type locality: Chile, Guaitecas Isl. Collector: P.Dusén.
- Psammogorgia simplex* Nutting 1909, p. 720. Type # 89 .
Category: holotype (part of). Type locality: USA, Calif., S.Cruz.
Collector: USNM 25431.
- Psammogorgia torreyi* Nutting 1909, p. 721. Type # 88 .
Category: holotype (part of). Type locality: USA, Calif., Monterey.
Collector: USNM 25433.
- Pseudhormathia bocki* Carlgren 1943, p. 24. Type # 103 .
Category: holotype? . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Pseudothesa foliata* Aurivillius, M. 1931, p. 182. Type # 57 .
Category: holotype . Type locality: South China Sea. Collector: J.Petersen.
- Psilacabaria frondosa* Brundin 1896, p. 14. Type # 67 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Solenocaulon simplex* Brundin 1896, p. 9. Type # 77 a-b.
Category: holotype . Type locality: South China Sea. Collector: E.Svenson.
- Spongodes armata* Holm 1894, p. 33. Type # 83 a-c.
Category: syntypes . Type locality: South China Sea. Collector: E.Svenson.
- Spongodes aspera* Holm 1894, p. 39. Type # 59 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Spongodes inermis* Holm 1894, p. 19. Type # 86 .
Category: holotype? . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Spongodes lateritia* Holm 1894, p. 47. Type # 416 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Spongodes lobulifera* Holm 1894, p. 21. Type # 413 .
Category: holotype . Type locality: South China Sea. Collector: J.Petersen.
- Spongodes mollis* Holm 1894, p. 44. Type # 60 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Spongodes pallida* Holm 1894, p. 42. Type # 415 .
Category: syntype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Spongodes pectinata* Holm 1894, p. 40. Type # 414 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Spongodes suensoni* Holm 1894, p. 28. Type # 66 a-b.
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Spongodes tenera* Holm 1894, p. 30. Type # 61 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Stachyodes clavata japonensis* Aurivillius, M. 1931, p. 296. Type # 58 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Stenella helminthophora* Nutting 1908, p. 575. Type # 97 .
Category: holotype (part of). Type locality: Pacific, Hawaii. Collector: USNM 25385.
- Stomphia japonica* Carlgren 1943, p. 32. Type # 403.
Category: syntype? Type locality: Japan. Collector: ?.
- Suensonia mollis* Brundin 1896, p. 4. Type # 30 .
Category: holotype . Type locality: Korea Strait. Collector: E.Svenson.
- Synactinernus flavus* Carlgren 1918, p. 31. Type # 232 .
Category: holotype? . Type locality: Japan, Kyushu. Collector: S.Bock.
- Thouarella hilgendorfi plumatilis* Aurivillius, M. 1931, p. 252. Type # 79 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.

ANTHOZOA

- Villogorgia cristata* Aurivillius, M. 1931, p. 216. Type # 74 .
 Category: syntype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Villogorgia japonica* Aurivillius, M. 1931, p. 226. Type # 64 .
 Category: holotype . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Villogorgia teretiflora* Aurivillius, M. 1931, p. 213. Type # 53 .
 Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.

ANURA

- Hyla eucnemis* Lönnberg 1900, p. 579. Type # 288 .
 Category: syntype . Type locality: New Guinea. Collector: E.Nyman.
- Hyla obsoleta* Lönnberg 1900, p. 580. Type # 287 .
 Category: holotype . Type locality: New Guinea. Collector: E.Nyman.

ARCHIANNELIDA

- Protodrilus adhaerens* Jägersten 1952, p. 431. Type # 422 a-n.
 Category: syntypes . Type locality: Sweden, Bohuslän. Collector: G.Jägersten.
- Protodrilus bahusiensis* Jägersten 1952, p. 444. Type # 424 a-d.
 Category: syntypes . Type locality: Sweden, Bohuslän. Collector: G.Jägersten.
- Protodrilus ciliatus* Jägersten 1952, p. 440. Type # 423 a-m.
 Category: syntypes . Type locality: Sweden, Bohuslän. Collector: G.Jägersten.
- Protodrilus robustus* Jägersten 1952, p. 447. Type # 425 a-j.
 Category: syntypes . Type locality: Sweden, Bohuslän. Collector: G.Jägersten.
- Protodrilus rubropharyngeus* Jägersten 1940a, p. 1. Type # 421 a-z.
 Category: syntypes . Type locality: Sweden, Bohuslän. Collector: G.Jägersten.

AVES

- Ampelis elegans* Thunberg 1823a, p. 2. Type # 709 a-b.
 Category: syntypes . Type locality: Brazil. Collector: L.Westin.
- Ampelis viridis* Thunberg 1823a, p. 4. Type # 710 a-b.
 Category: syntypes . Type locality: Brazil. Collector: L.Westin.
- Brachyurus gularis* Thunberg 1821, p. 371. Type # 306 .
 Category: holotype . Type locality: Brazil. Collector: L.Westin.
- Brachyurus ruber* Thunberg 1821, p. 371. Type # 708 .
 Category: holotype . Type locality: Brazil. Collector: L.Westin.
- Caprimulgus macrodipterus* Afzelius 1802, p. 264. Type # 326 .
 Category: holotype . Type locality: Sierra Leone. Collector: A.Afzelius.
- Cotinga alba* Thunberg 1823b, p. 177. Type # 715 .
 Category: holotype . Type locality: Brazil. Collector: L.Westin.
- Cotinga regulus* Thunberg 1823b, p. 179. Type # 718 .
 Category: holotype . Type locality: Brazil. Collector: L.Westin.
- Cotinga speciosa* Thunberg 1823b, p. 178. Type # 716 .
 Category: holotype . Type locality: Brazil. Collector: L.Westin.
- Cotinga virescens* Thunberg 1823b, p. 178. Type # 717 .
 Category: holotype . Type locality: Brazil. Collector: L.Westin.

AVES

Hirundo javanica Sparrman 1789, p. -. Type # 305 .

Category: holotype . Type locality: Indonesia, Java. Collector: C.Hornstedt.

Megarynchus brunneus Thunberg 1824, p. 6. Type # 714 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Megarynchus fasciatus Thunberg 1824, p. 4. Type # 712 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Megarynchus griseus Thunberg 1824, p. 6. Type # 713 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Megarynchus regius Thunberg 1824, p. 4. Type # 711 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Pipra atra Thunberg 1822, p. 287. Type # 242 .

Category: holotype . Type locality: ?. Collector: ?.

Pipra brunnea Thunberg 1822, p. 286. Type # 339 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Pipra caudata Thunberg 1822, p. 284. Type # 328 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Pipra cephalucos Thunberg 1822, p. 286. Type # 337 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Pipra fasciata Thunberg 1822, p. 285. Type # 335 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Pipra flavogaster Thunberg 1822, p. 286. Type # 338 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Pipra forficata Thunberg 1822, p. 284. Type # 329 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Pipra frontalis Thunberg 1822, p. 286. Type # 336 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Pipra lineata Thunberg 1822, p. 284. Type # 330 a-b.

Category: syntypes . Type locality: Brazil. Collector: L.Westin.

Pipra viridis Thunberg 1822, p. 285. Type # 332 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

Tapera brasiliensis Thunberg 1819, p. 5. Type # 155 .

Category: holotype . Type locality: Brazil. Collector: L.Westin.

BRYOZOA

Acanthodesia bocki Silén 1941, p. 20. Type # 356 a-g.

Category: paratypes ?. Type locality: Japan. Collector: S.Bock.

Aetea boninensis Silén 1941, p. 12. Type # 357 .

Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.

Alcyonidium erectum Silén 1942a, p. 11. Type # 381 .

Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.

Alcyonidium foliaceum Silén 1942a, p. 14. Type # 382 .

Category: holotype . Type locality: Korea Strait. Collector: E.Svenson.

Alcyonidium mamillatum erectum Andersson 1902, p. 553. Type # 388 .

Category: holotype . Type locality: Greenland. Collector: Sw. Polar Exp. 1900.

Alcyonidium nanum Silén 1942a, p. 11. Type # 383 .

Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.

BRYOZOA

- Alcyonidium rugosum* Silén 1942a, p. 16. Type # 122 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Antropora erecta* Silén 1941, p. 44. Type # 358 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Beania discodermiae boninensis* Silén 1941, p. 95. Type # 359 a-c.
Category: paratypes ?. Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Bockiella angusta* Silén 1942a, p. 20. Type # 123 a-c.
Category: syntypes . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Bugula pugeti kiuschiuensis* Silén 1941, p. 106. Type # 361 .
Category: holotype . Type locality: Japan, Okinoshima. Collector: S.Bock.
- Callopora canui* Silén 1941, p. 34. Type # 362 a-e.
Category: holotype paratypes. Type locality: Japan, Sagami. Collector: S.Bock.
- Camptoplites tubifera* Silén 1941, p. 111. Type # 363 a-d.
Category: paratypes ?. Type locality: Japan, Sagami. Collector: S.Bock.
- Caulibugula bocki* Silén 1941, p. 109. Type # 364 a-b.
Category: paratypes ?. Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Cauloramphus costatus* Silén 1941, p. 31. Type # 365 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Cauloramphus japonicus* Silén 1941, p. 33. Type # 366 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Cellaria boninensis* Silén 1938, p. 353. Type # 380 a-d.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Chaperia transversalis boninensis* Silén 1941, p. 48. Type # 367 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Copidozoum transversum* Silén 1941, p. 41. Type # 368 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Crassimarginatella spinifera* Silén 1941, p. 25. Type # 369 .
Category: holotype . Type locality: Japan, Kagoshima. Collector: S.Bock.
- Cribilina punctata watersi* Andersson 1902, p. 540. Type # 562 .
Category: holotype . Type locality: Greenland. Collector: Zool.Pol.exp. 1900.
- Cribralaria curvirostris* Silén 1941, p. 122. Type # 387 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Crucescharellina japonica* Silén 1947, p. 44. Type # 386 .
Category: holotype . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Figularia figularis japonica* Silén 1941, p. 115. Type # 370 a-b.
Category: paratypes . Type locality: Japan, Kyushu. Collector: S.Bock.
- Labiostomella gisleni* Silén 1941, p. 14. Type # 360 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Microporina okadai* Silén 1941, p. 68. Type # 371 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Mimosella bocki* Silén 1942a, p. 29. Type # 384 a-f.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Pseudolapralia ellisinae* Silén 1941, p. 39. Type # 372 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Pyrulella boninensis* Silén 1941, p. 26. Type # 373 a-d.
Category: paratypes ?. Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Pyrulella tubulata triangulata* Silén 1941, p. 28. Type # 374 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.

BRYOZOA

- Sarsiflustra japonica* Silén 1938, p. 351. Type # 379 a-b.
Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.
- Semikinetoskias dubia* Silén 1941, p. 114. Type # 375 a-e.
Category: paratypes ?. Type locality: Japan, Sagami. Collector: S.Bock.
- Smittia palmata sinuosa* Andersson 1902, p. 546. Type # 121 .
Category: holotype . Type locality: Greenland. Collector: Zool.Pol.exp. 1900.
- Spiralaria incrustans* Silén 1941, p. 59. Type # 376 .
Category: holotype . Type locality: Japan, Sagami. Collector: T.Gislén.
- Tegella incrustata* Silén 1941, p. 29. Type # 377 a-b.
Category: holotype paratype. Type locality: Japan, Goto Islands. Collector: S.Bock.
- Tricellaria dubia* Silén 1941, p. 78. Type # 378 a-b.
Category: paratypes . Type locality: Japan, Sagami. Collector: S.Bock.
- Vesicularia harmeri* Silén 1942a, p. 25. Type # 385 .
Category: holotype . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Flabellopora lingua* Silén 1947, p. 47. Type # 124 .
Category: holotype . Type locality: Japan, Okinoshima. Collector: S.Bock.

CESTODA

- Acanthobothrium benedenii* Lönnberg 1889, p. 25. Type # 459 .
Category: syntype? . Type locality: Sweden, Bohuslän. Collector: E.Lönnberg.
- Anthobothrium elegantissimum* Lönnberg 1889, p. 17. Type # 457 a-d.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: E.Lönnberg.
- Bothridiotaenia erostris eudypitidis* Lönnberg 1896c, p. 6. Type # 107 .
Category: syntypes? . Type locality: Argentina, T.d.Fuego. Collector: Michaelsen.
- Bothriocephalus punctatus motellae* Lönnberg 1893, p. 13. Type # 461 .
Category: syntype? . Type locality: Sweden, Bohuslän. Collector: O.Carlgren?.
- Diplobothrium affine* Lönnberg 1892, p. 16. Type # 454 a-b.
Category: syntypes . Type locality: Norway, Sörvaer. Collector: L.A.Jägerskiöld.
- Diplogonoporus balaenopterae* Lönnberg 1892, p. 4. Type # 115 a-b.
Category: syntypes . Type locality: Norway, Sörvaer. Collector: L.A.Jägerskiöld.
- Echeneibothrium affine* Olsson 1867a, p. 40. Type # 463 .
Category: syntype? . Type locality: Sweden, Halland. Collector: P.Olsson.
- Eubothrium arcticum* Nybelin 1922, p. 176. Type # 109 .
Category: holotyp . Type locality: Greenland. Collector: Zool.Pol.exp. 1900.
- Eubothrium crassoides* Nybelin 1922, p. 167. Type # 112 a-c.
Category: syntypes . Type locality: Russia, Caspian Sea. Collector: Lönnberg.
- Onchobothrium schizacanthum* Lönnberg 1893, p. 4. Type # 108 a-c.
Category: syntypes . Type locality: Indonesia, Java. Collector: C.Aurivillius.
- Ophryocotyle insignis* Lönnberg 1890, p. 15. Type # 462 a-b.
Category: syntypes . Type locality: Norway, Glaesvaer. Collector: E.Lönnberg.
- Parabothrium bulbiferum* Nybelin 1922, p. 182. Type # 453 a-d.
Category: syntypes . Type locality: Sweden & Norway. Collector: E.Lönnberg.
- Ptychophysa michaelsonii* Lönnberg 1896c, p. 3. Type # 215 .
Category: holotype . Type locality: Argentina, T.d.Fuego. Collector: Michaelsen.
- Stenobothrium syngenes* Pintner 1929, p. 5. Type # 113 a-b.
Category: paratypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.

CESTODA

- Taenia erostris* Lönnberg 1889, p. 13. Type # 456 a-f.
Category: syntypes . Type locality: Sweden. Collector: E.Lönnberg.
- Taenia erostris minor* Lönnberg 1893, p. 12. Type # 460 a-b.
Category: syntypes . Type locality: Norway, Finnmark. Collector: L.A.Jägerskiöld.
- Taenia filum polybori* Lönnberg 1896c, p. 5. Type # 110 .
Category: holotype . Type locality: Argentina, T.d.Fuego. Collector: Michaelsen.
- Taenia gracilis tadornae* Lönnberg 1889, p. 9. Type # 455 a-b.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: E.Lönnberg.
- Tetrabothrium norvegicum* Olsson 1867b, p. 3. Type # 464 .
Category: syntype? . Type locality: Norway, Bergen. Collector: P.Olsson.
- Tetrabothrium trionychinum* Lönnberg 1894c, p. 801. Type # 111 .
Category: holotyp? . Type locality: USA, Florida. Collector: Lönnberg.
- Tetrarhynchobothrium nannocephalum* Pintner 1929, p. 28. Type # 114 .
Category: paratype . Type locality: Japan, Kagoshima. Collector: S.Bock.
- Trilocularia gracilis* Olsson 1869, p. 5. Type # 465 .
Category: syntype? . Type locality: Sweden, Halland. Collector: P.Olsson.
- Tritaphros retzii* Lönnberg 1889, p. 23. Type # 458 .
Category: syntype? . Type locality: Sweden, Bohuslän. Collector: E.Lönnberg.

CRINOIDEA

- Calometra acanthaster* Clark 1908, p. 224. Type # 707 .
Category: paratype . Type locality: Philippines. Collector: 'Albatross'.
- Catoptometa magnifica minor* Gislén 1922, p. 65. Type # 252 a-d.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Clarkometra elegans* Gislén 1922, p. 143. Type # 253 .
Category: syntype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Comantheria grandicalyx flagellipinna* Gislén 1922, p. 41. Type # 268 .
Category: syntype . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Comanthus parvicirra comanthipinna* Gislén 1922, p. 51. Type # 265 .
Category: holotype . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Comanthus parvicirra comasteripinna* Gislén 1922, p. 50. Type # 260 a-b.
Category: syntypes . Type locality: Japan, Bonin Isl etc. Collector: S.Bock.
- Comaster delicata grandis* Gislén 1922, p. 32. Type # 266 a-d.
Category: syntypes . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Comatella brachycirra* Gislén 1922, p. 13. Type # 255 a-d.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Comissia ignota minuta* Gislén 1922, p. 25. Type # 259 a-h.
Category: syntypes . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Comissia peregrina magnifica* Gislén 1922, p. 21. Type # 264 a-b.
Category: syntypes . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Cyllometra pulchella* Gislén 1922, p. 84. Type # 258 a-e.
Category: syntypes . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Diodontometra bocki* Gislén 1922, p. 123. Type # 254 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Eudiocrinus gracilis pulchellus* Gislén 1922, p. 69. Type # 263 a-c.
Category: syntypes . Type locality: Japan, Bonin Isl. Collector: S.Bock.

CRINOIDEA

Eudiocrinus loveni Gislén 1922, p. 72. Type # 579 .

Category: holotype . Type locality: Japan, Bonin Isl. Collector: S.Bock.

Leptonemaster venustus Clark 1909, p. 499. Type # 706 .

Category: paratype . Type locality: USA, Florida. Collector: 'Grampus'.

Metacrinus nobilis tenuis Gislén 1922, p. 147. Type # 267 a-c.

Category: syntypes . Type locality: Japan, Goto Isl etc. Collector: S.Bock.

Perissometra aranea Gislén 1922, p. 120. Type # 261 .

Category: holotype . Type locality: Japan, Goto Isl. Collector: S.Bock.

Psathyrometra wireni Gislén 1922, p. 138. Type # 256 .

Category: holotype . Type locality: Japan, Kyushu. Collector: S.Bock.

Stenometra dentata Gislén 1922, p. 115. Type # 262 a-d.

Category: syntypes . Type locality: Japan, Bonin Isl. Collector: S.Bock.

Toxometra aequipinna Gislén 1922, p. 129. Type # 257 .

Category: syntype . Type locality: Japan, Sagami. Collector: S.Bock.

CRUSTACEA

Acanthocanthopsis quadratus Heegaard 1945, p. 21. Type # 655 .

Category: syntypes . Type locality: Japan. Collector: .

Acroperus neglectus Lilljeborg 1901a, p. 425. Type # 559 a-i.

Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.

Aega rotundicauda Lilljeborg 1852, p. 23. Type # 518 .

Category: syntype? . Type locality: Norway, Bergen. Collector: ?.

Alepa japonica Aurivillius, C.W.S. 1892, p. 125. Type # 340 a-b.

Category: syntypes . Type locality: Japan, Hirado Strait. Collector: E.Svenson.

Alonopsis ambigua Lilljeborg 1901a, p. 440. Type # 560 a-c.

Category: lectotype syntypes. Type locality: Sweden. Collector: W.Lilljeborg.

Amblyops sarsii Ohlin 1901, p. 75. Type # 541 .

Category: holotype . Type locality: Svalbard. Collector: Zool.Pol.exp.1900.

Ampelisca laevigata Lilljeborg 1856, p. 123. Type # 527 .

Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.

Ampelisca macrocephala Lilljeborg 1853a, p. 7. Type # 520 a-g.

Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.

Ampelisca tenuicornis Lilljeborg 1856, p. 123. Type # 528 .

Category: holotype . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.

Amphithoë compressa Lilljeborg 1853a, p. 8. Type # 521 .

Category: holotype . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.

Amphithoë pygmaea Lilljeborg 1853a, p. 9. Type # 522 a-b.

Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.

Anceus oxyuraeus Lilljeborg 1856, p. 133. Type # 533 .

Category: holotype . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.

Anonyx brachycercus Lilljeborg 1865, p. 17. Type # 216 .

Category: holotype . Type locality: Norway, Grip. Collector: W.Lilljeborg.

Anonyx nanoides Lilljeborg 1865, p. 16. Type # 214 .

Category: holotype . Type locality: Norway, Molde. Collector: W.Lilljeborg.

Anonyx norvegicus Lilljeborg 1852, p. 22. Type # 519 .

Category: syntypes? . Type locality: Norway, Bergen. Collector: ?.

CRUSTACEA

- Anuretes renalis* Heegaard 1945, p. 10. Type # 654 .
Category: holotype . Type locality: Japan. Collector: .
- Apus macrurus* Lilljeborg 1877, p. 13. Type # 545 a-b.
Category: syntypes . Type locality: Russia, Archangelsk. Collector: W.Lilljeborg.
- Artemiopsis stefanssoni groenlandicus* Linder 1932, p. 189. Type # 670 a-b.
Category: paratypes . Type locality: Greenland. Collector: Vanhöffen, Johansen.
- Atya margaritacea claviger* Aurivillius, C.W.S. 1898, p. 14. Type # 649 a-b.
Category: syntypes. Type locality: Cameroun, Etome. Collector: P.Dusén.
- Balaenophilus unisetus* Aurivillius, P.O.C. 1879a, p. 5. Type # 389a-b.
Category: syntypes . Type locality: Norway, Vadsö. Collector: Chr.Aurivillius.
- Balanus acutus* Nilsson-Cantell 1921, p. 334. Type # 325 a-b.
Category: syntypes . Type locality: Japan, Kyushu. Collector: S.Bock.
- Bathymunida quadratirostrata* Melin 1939, p. 92. Type # 435 a-q.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Bathyporeia pilosa* Lindström 1856, p. 60. Type # 536 .
Category: holotype? . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Bosmina arctica* Lilljeborg 1894, p. 120. Type # 646 a-e.
Category: syntypes . Type locality: Sweden, Norway, Russia.
Collector: Lilljeborg & others.
- Bosmina brevispina* Lilljeborg 1890, p. 41. Type # 640 a-e.
Category: syntypes . Type locality: Sweden. Collector: Söderlund, Lilljeb.
- Bosmina coregoni humilis* Lilljeborg 1887b, p. 261. Type # 553 a-g.
Category: syntypes . Type locality: Sweden, Poland. Collector: Trybom,Poppe,Lillj.
- Bosmina coregoni retroextensa* Lilljeborg 1901a, p. 291. Type # 554 a-c.
Category: syntypes . Type locality: Sweden. Collector: F.Trybom.
- Bosmina crassicornis* Lilljeborg 1887b, p. 262. Type # 555 a-j.
Category: syntypes . Type locality: Germany, Sweden.
Collector: Poppe, Bohmansson.
- Bosmina crassicornis angulata* Lilljeborg 1901a, p. 299. Type # 556 a-b.
Category: syntypes . Type locality: Sweden. Collector: Bohmansson, Lilljeb.
- Bosmina crassicornis rotundata* Lilljeborg 1901a, p. 301. Type # 557 a-g.
Category: syntypes . Type locality: Sweden. Collector: Trybom, Lilljeborg.
- Bosmina elegans* Lilljeborg 1890, p. 42. Type # 641 a-d.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Bosmina globosa* Lilljeborg 1901a, p. 304. Type # 558 a-h.
Category: syntypes . Type locality: Sweden. Collector: Möller, Lilljeborg.
- Bosmina insignis devergens* Lilljeborg 1901a, p. 272. Type # 552 a-b.
Category: syntypes . Type locality: Sweden. Collector: Tullberg, Lönnberg.
- Bosmina insignis insignis* Lilljeborg 1901a, p. 270. Type # 551 a-d.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Bosmina longispina macrocerastes* Lilljeborg 1901a, p. 260. Type # 549 a-b.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Bosmina longispina megalops* Lilljeborg 1901a, p. 268. Type # 550 .
Category: syntypes . Type locality: Sweden. Collector: F.Trybom.
- Bosmina similis* Lilljeborg 1890, p. 39. Type # 639 a-k.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Branchinecta iheringii* Lilljeborg 1889b, p. 424. Type # 514 a-c.
Category: syntypes . Type locality: Brazil, Rio Grande. Collector: H.v. Ihering.

CRUSTACEA

- Branchinella affinis* Linder 1941, p. 257. Type # 661 a-b.
Category: holotype paratypes. Type locality: Australia. Collector: F.Linder.
- Branchinella affinis wonganensis* Linder 1941, p. 261. Type # 662 .
Category: paratypes . Type locality: Australia. Collector: T.J.Robinson.
- Branchinella apophysata* Linder 1941, p. 261. Type # 663 a-c.
Category: holotype paratypes. Type locality: Australia. Collector: F.Linder.
- Branchinella compacta* Linder 1941, p. 245. Type # 657 a-b.
Category: holotype paratypes. Type locality: Australia. Collector: F.Linder.
- Branchinella denticulata* Linder 1941, p. 262. Type # 664 .
Category: paratypes . Type locality: Australia. Collector: D.L.Serventy.
- Branchinella lyrifera* Linder 1941, p. 253. Type # 660 a-b.
Category: holotype paratypes. Type locality: Australia. Collector: F.Linder.
- Branchinella nichollsi* Linder 1941, p. 249. Type # 659 .
Category: paratypes . Type locality: Australia. Collector: D.L.Serventy.
- Branchinella simplex* Linder 1941, p. 247. Type # 658 .
Category: paratypes . Type locality: Australia. Collector: D.L.Serventy.
- Bythocythere intermedia* Elofson 1938, p. 10. Type # 496 a-k.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: O.Elofson.
- Bythotrephes borealis* Lilljeborg 1890, p. 51. Type # 644 .
Cf. no. 635, *Bythotrephes cederstroemi robustus*.
- Bythotrephes cederstroemi connectens* Lilljeborg 1901a, p. 623. Type # 636 a-c.
Category: syntypes . Type locality: Sweden. Collector: Aurivillius, Lillj.
- Bythotrephes cederstroemi robustus* Lilljeborg 1901a, p. 621. Type # 635 a-i.
Category: syntypes . Type locality: Sweden. Collector: Cederström, Lilljeb.
- Bythotrephes longimanus arcticus* Lilljeborg 1901a, p. 612. Type # 633 a-f.
Category: syntypes . Type locality: Sweden, Russia. Collector: Lilljeb. & others.
- Bythotrephes longimanus brevimanus* Lilljeborg 1901a, p. 614. Type # 634 a-f.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Caligodes alatus* Heegaard 1945, p. 5. Type # 220 .
Category: holotype . Type locality: Java, Rembang. Collector: G.v.Schéele.
- Caligus bicycletus* Heegaard 1945, p. 1. Type # 221 .
Category: syntypes . Type locality: Java, Rembang. Collector: G.v.Schéele.
- Callianidea planocula* Melin 1939, p. 5. Type # 437 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Cambarus acherontis* Lönnberg 1894b, p. 6. Type # 350 .
Category: holotype . Type locality: USA, Florida. Collector: E.Lönnberg.
- Canthocamptus arcticus* Lilljeborg 1902a, p. 37. Type # 151 a-h.
Category: syntypes . Type locality: Sweden. Collector: Lilljeb., Kolthoff.
- Canthocamptus insignipes* Lilljeborg 1902a, p. 53. Type # 152 a-f.
Category: syntypes . Type locality: Russia, Jenisej etc. Collector: Lilljeb., Kolthoff.
- Canthocamptus megalops* Lilljeborg 1902a, p. 30. Type # 75 a-r.
Category: syntypes . Type locality: Sweden. Collector: Lilljeborg.
- Canthocamptus nordenskiöldii* Lilljeborg 1902b, p. 8. Type # 186 a-c.
Category: syntypes . Type locality: Russia, Jenisej estuary.
Collector: Nov.Zemlja exp. 1875.
- Canthocampus rubellus* Lilljeborg 1902a, p. 16. Type # 19 a-z.
Category: syntypes . Type locality: Sweden, Uppland etc. Collector: Lilljeborg.

CRUSTACEA

- Canthocamptus similis* Lilljeborg 1902b, p. 14. Type # 187 .
Category: syntypes . Type locality: Russia, Jenisej estuary.
Collector: Nov.Zemlja exp. 1875.
- Carpilodes caelatus* Odhner, T. 1925, p. 21. Type # 653 .
Category: paratype . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Carpilodes lophopus boninensis* Odhner, T. 1925, p. 18. Type # 213 .
Category: syntypes . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Carpilodes striolatus* Odhner, T. 1925, p. 15. Type # 217 .
Category: holotype . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Ceriodaphnia affinis* Lilljeborg 1901a, p. 202. Type # 349 a-k.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Chiridothea entomon vaetterensis* Ekman 1920, p. 495. Type # 210 .
Category: syntypes . Type locality: Sweden, Vättern. Collector: N.Rosén.
- Chthamalus stellatus cornutus* Nilsson-Cantell 1925, p. 25. Type # 331 .
Category: syntypes . Type locality: Uruguay, Montevideo. Collector: C.Lindman.
- Chydorus gibbus* Lilljeborg 1890, p. 50. Type # 643 a-e.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Chydorus minor* Lilljeborg 1890, p. 49. Type # 642 a-e.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Chydorus pigroides* Lilljeborg 1901a, p. 571. Type # 561 a-e.
Category: lectotype paralect.. Type locality: Sweden. Collector: W.Lilljeborg.
- Clistosaccus paguri* Lilljeborg 1861b, p. 9. Type # 470 .
Category: holotype . Type locality: Sweden, Bohuslän. Collector: W.Lilljeborg.
- Cuma ampullacea* Lilljeborg 1856, p. 120. Type # 531 .
Category: syntypes . Type locality: Swede, Skåne. Collector: W.Lilljeborg.
- Cuma rubicunda* Lilljeborg 1856, p. 121. Type # 529 .
Category: holotype . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Cuma tumida* Lilljeborg 1856, p. 119. Type # 530 .
Category: holotype . Type locality: Swede, Skåne. Collector: W.Lilljeborg.
- Cyclops abyssicola* Lilljeborg 1901b, p. 66. Type # 501 a-m.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cyclops gracilis* Lilljeborg 1853b, p. 208. Type # 467 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Cyclops kolensis* Lilljeborg 1901b, p. 21. Type # 502 a-dd.
Category: syntypes . Type locality: Russia, Sweden. Collector: Sandeb.exp.,Lilljeb.
- Cyclops languidoides* Lilljeborg 1901b, p. 61. Type # 503 a-e.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cyclops macruroides* Lilljeborg 1901b, p. 85. Type # 504 a-mm.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cyclops magniceps* Lilljeborg 1853b, p. 204. Type # 468 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Cyclops miniatus* Lilljeborg 1901b, p. 24. Type # 505 a-r.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cyclops rubellus* Lilljeborg 1901b, p. 75. Type # 506 a-hh.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cyclops varius brachyurus* Lilljeborg 1901b, p. 90. Type # 510 a-ii.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.

CRUSTACEA

- Cyclops varius proximus* Lilljeborg 1901b, p. 89. Type # 509 a-t.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cyclops varius speratus* Lilljeborg 1901b, p. 88. Type # 508 a-bb.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cyclops varius varius* Lilljeborg 1901b, p. 87. Type # 507 .
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cyclops vicinus glacialis* Lilljeborg 1900, p. 12. Type # 637 a-b.
Category: syntypes . Type locality: Norway, Björnön. Collector: G.Andersson.
- Cypria lacustris* Lilljeborg 1890, p. 54. Type # 645 a-f.
Category: syntypes . Type locality: Sweden. Collector: Söderlund, Lilljeb.
- Cypridina globosa* Lilljeborg 1853b, p. 171. Type # 469 .
Category: syntypes . Type locality: Greenland. Collector: H.Kröyer.
- Cypridopsis meruensis* Lindroth 1953, p. 98. Type # 607 a-j.
Category: syntypes . Type locality: Tanzania. Collector: S.Lindroth.
- Cyprinotus humilis* Lindroth 1953, p. 62. Type # 229 a-f.
Category: syntypes . Type locality: Kenya, Ngong Hills. Collector: S.Lindroth.
- Cyprinotus intermedius* Lindroth 1953, p. 70. Type # 604 a-m.
Category: syntypes . Type locality: Kenya. Collector: S.Lindroth.
- Cyprinotus kliei* Lindroth 1953, p. 66. Type # 603 a-jj.
Category: syntypes . Type locality: Kenya. Collector: S.Lindroth.
- Cyprinotus nonstriatus* Lindroth 1953, p. 73. Type # 605 a-i.
Category: syntypes . Type locality: Kenya. Collector: S.Lindroth.
- Cypris fischeri* Lilljeborg 1883, p. 7. Type # 304 a-h.
Category: syntypes . Type locality: Sweden, Uppland. Collector: W.Lilljeborg.
- Cythere fuscata significans* Alm 1912, p. 671. Type # 157 a-q.
Category: syntypes . Type locality: Sweden, Uppland. Collector: W.Lilljeborg.
- Cythere nitida* Lilljeborg 1853b, p. 169. Type # 471 a-e.
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Cythere relicta* Lilljeborg 1863, p. 391. Type # 543 a-c.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Cytheridea macrolaminata* Elofson 1939, p. 1. Type # 512 a-b.
Category: syntypes . Type locality: (Svalbard). Collector: Sw. Svalb. exp. 1898.
- Cytheroma latiantennata* Elofson 1938, p. 15. Type # 511 a-f.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: O.Elofson.
- Daphnia longispina abbreviata* Lilljeborg 1887a, p. 154. Type # 546 a-b.
Category: syntypes . Type locality: Russia, Bering Isl. Collector: Stejneger.
- Diaptomus ambiguus* Lilljeborg 1887a, p. 155. Type # 548 .
Category: syntypes . Type locality: Russia, Bering Isl. Collector: Stejneger.
- Diaptomus eiseni* Lilljeborg 1889a, p. 96. Type # 611 a-f.
Category: syntypes . Type locality: USA, California. Collector: G.Eisen.
- Diaptomus franciscanus* Lilljeborg 1889a, p. 97. Type # 612 a-h.
Category: syntypes . Type locality: USA, California. Collector: G.Eisen.
- Diaptomus glacialis* Lilljeborg 1889a, p. 98. Type # 613 a-c.
Category: syntypes . Type locality: Russia, Vaigatsch. Collector: Novaja Semlja exp.
- Diaptomus graciloides* Lilljeborg 1888, p. 156. Type # 609 a-mm.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Diaptomus laciniatus* Lilljeborg 1889a, p. 99. Type # 614 a-g.
Category: syntypes . Type locality: Sweden etc.. Collector: (several).

CRUSTACEA

- Diaptomus lobatus* Lilljeborg 1889a, p. 101. Type # 615 a-b.
Category: syntypes . Type locality: Russia, Jenisej. Collector: Nordensk. exp.
- Diaptomus minutus* Lilljeborg 1889a, p. 102. Type # 616 a-h.
Category: syntypes . Type locality: Greenland. Collector: C.Nyström.
- Diaptomus mirus* Lilljeborg 1889a, p. 104. Type # 617 a-c.
Category: syntypes . Type locality: Russia, Tobol. Collector: Sw. Siberia exp.
- Diaptomus oregonensis* Lilljeborg 1889a, p. 105. Type # 618 a-d.
Category: syntypes . Type locality: USA, Oregon. Collector: F.Trybom.
- Diaptomus saliens* Lilljeborg 1863, p. 395. Type # 544 a-d.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Diaptomus serricornis* Lilljeborg 1888, p. 157. Type # 610 .
Category: syntypes . Type locality: Russia, Lumbowski lake. Collector: Sandeb. exp.
- Diaptomus siciloides* Lilljeborg 1889a, p. 106. Type # 619 a-e.
Category: syntypes . Type locality: USA, California. Collector: G.Eisen.
- Diaptomus signicauda* Lilljeborg 1889a, p. 107. Type # 620 a-e.
Category: syntypes . Type locality: USA, California. Collector: G.Eisen.
- Diaptomus theeli* Lilljeborg 1889a, p. 109. Type # 621 a-c.
Category: syntypes . Type locality: Russia, Tobol. Collector: H.Théel.
- Diaptomus trybomi* Lilljeborg 1889a, p. 110. Type # 622 a-d.
Category: syntypes . Type locality: USA, Oregon. Collector: F.Trybom.
- Dias longiremisi* Lilljeborg 1853b, p. 181. Type # 472 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Doropygus longicauda* Aurivillius, C.W.S. 1883, p. 18. Type # 652 .
Category: type? . Type locality: Norway. Collector: C.W.S.Aurivillius.
- Elminius modestus laevis* Nilsson-Cantell 1925, p. 42. Type # 333 .
Category: holotype . Type locality: Australia, Melbourne. Collector: G.v.Schéele.
- Epischura nevadensis* Lilljeborg 1889a, p. 145. Type # 623 a-f.
Category: syntypes . Type locality: USA, California. Collector: G.Eisen.
- Epischura nordenskioeldi* Lilljeborg 1889a, p. 146. Type # 624 a-f.
Category: syntypes . Type locality: Canada, Newfoundland. Collector: C.Nyström.
- Eucypris kenyensis* Lindroth 1953, p. 53. Type # 601 a-q.
Category: lectotype paralect.. Type locality: Kenya, Mt. Kenya. Collector: S.Lindroth.
- Eucypris montana* Lindroth 1953, p. 56. Type # 228 a-j.
Category: syntypes . Type locality: Kenya, Mt Meru. Collector: S.Lindroth.
- Eupagurus boninensis* Melin 1939, p. 38. Type # 438 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Eupagurus exiguus* Melin 1939, p. 34. Type # 432 a-o.
Category: lectotype syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Eupagurus facetus* Melin 1939, p. 48. Type # 440 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Eupagurus fragilis* Melin 1939, p. 45. Type # 439 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Eupagurus vallatus* Melin 1939, p. 67. Type # 442 .
Category: lectotype syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Euphasia glacialis* Lilljeborg 1868, p. 7. Type # 538 .
Category: syntypes . Type locality: Norway, Varanger. Collector: T.Fries.

Eurycercus glacialis Lilljeborg 1887a, p. 154. Type # 547 a-m.

Category: lectotype paralect.. Type locality: Russia, Bering Isl. Collector: Stejneger.

CRUSTACEA

- Galathea intermedia* Lilljeborg 1852, p. 21. Type # 516 .
Category: syntype? . Type locality: Norway, Bergen. Collector: ?.
- Galathea serrirostris* Melin 1939, p. 72. Type # 434 a-p.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Galathea ternatensis* Melin 1939, p. 67. Type # 441 .
Category: syntype . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Gammarus assimilis* Lilljeborg 1852, p. 23. Type # 517 .
Category: syntype? . Type locality: Norway. Collector: v.Düben.
- Gammarus erythrophthalmus* Lilljeborg 1855, p. 455. Type # 525 a-c.
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Gammarus macronyx* Lilljeborg 1855, p. 458. Type # 526 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Gammarus maculatus* Lilljeborg 1853a, p. 10. Type # 523 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Gammarus mutatus* Lilljeborg 1855, p. 447. Type # 524 .
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: W.Lilljeborg.
- Gebia furcata* Aurivillius, C.W.S. 1898, p. 13. Type # 211 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Gigantocypris mülleri* Skogsberg 1920, p. 202. Type # 342 .
Category: paratypes. Type locality: Northern Atlantic. Collector: "Mikael Sars" 1910.
- Gymnolepas pellucida* Aurivillius, C.W.S. 1894, p. 34. Type # 167 .
Category: syntypes . Type locality: Atlantic, 33øN 30øW. Collector: G.C.Eckman.
- Haploops carinata* Lilljeborg 1856, p. 136. Type # 535 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Haploops tubicola* Lilljeborg 1856, p. 135. Type # 534 a-b.
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Heteralepas typica* Nilsson-Cantell 1921, p. 250. Type # 324 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Ichthyophorba hamata* Lilljeborg 1853b, p. 185. Type # 473 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Iliophilus flexibilis* Lilljeborg 1902a, p. 62. Type # 156 a-q.
Category: syntypes . Type locality: Sweden, Uppland. Collector: W.Lilljeborg.
- Lepidurus lynchi* Linder 1952, p. 39. Type # 223 a-b.
Category: holotype paratypes. Type locality: USA, Washington. Collector: J.E.Lynch.
- Lepidurus lynchi echinatus* Linder 1952, p. 49. Type # 226 .
Category: paratypes . Type locality: USA, Oregon. Collector: J.E.Lynch.
- Leptodora hyalina* Lilljeborg 1861c, p. 265. Type # 537 .
Category: syntypes . Type locality: Sweden, Östergötland. Collector: G.Cederström.
- Leucon nasicooides* Lilljeborg 1856, p. 122. Type # 532 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Limnocythere africana minor* Lindroth 1953, p. 115. Type # 608 a-r.
Category: syntypes . Type locality: Kenya. Collector: S.Lindroth.
- Lithotrya truncata longicaudata* Nilsson-Cantell 1921, p. 216. Type # 322 .
Category: syntypes . Type locality: Indonesia, Java etc. Collector: C.Aurivillius.
- Lynceus exiguus* Lilljeborg 1853b, p. 79. Type # 474 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Microcythere bahusiensis* Elofson 1944, p. 11. Type # 499 a-f.

Category: syntypes . Type locality: Sweden, Bohuslän. Collector: O.Elofson.

CRUSTACEA

- Microcythere monstrosa* Elofson 1944, p. 13. Type # 500 a-d.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: O.Elofson.
- Microcythere producta* Elofson 1944, p. 8. Type # 498 a-h.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: O.Elofson.
- Mysis mixta maelarensis* Ekman 1913b, p. 541. Type # 212 .
Category: holotype . Type locality: Sweden, Mälaren. Collector: S.Ekman.
- Nannocandona faba* Ekman 1914, p. 20. Type # 222 .
Category: syntypes . Type locality: Sweden, Västmanland. Collector: S.Ekman.
- Neptunus marginatus truncata* Aurivillius, C.W.S. 1898, p. 5. Type # 209 .
Category: holotype . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Oediceropsis brevicornis* Lilljeborg 1868, p. 19. Type # 540 a-b.
Category: syntypes . Type locality: Norway, Molde. Collector: W.Lilljeborg.
- Oxynaspis bocki* Nilsson-Cantell 1921, p. 228. Type # 323 a-b.
Category: syntypes . Type locality: Japan, Goto Islands. Collector: S.Bock.
- Pachycheles fronto* Melin 1939, p. 114. Type # 433 a-l.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Paguritta gracilipes* Melin 1939, p. 51. Type # 431 a-k.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Palaemon hastatus* Aurivillius, C.W.S. 1898, p. 27. Type # 650 .
Category: syntypes . Type locality: Cameroun, Bibundi. Collector: Y.Sjöstedt.
- Palaemonetes trispinosus* Aurivillius, C.W.S. 1898, p. 29. Type # 651 .
Category: syntypes . Type locality: Cameroun, Kitta. Collector: Y.Sjöstedt.
- Paradoxostoma arcticum* Elofson 1941, p. 350. Type # 513 .
Category: syntype . Type locality: (Svalbard). Collector: Sw. Svalb. exp. 1908.
- Parartemia contracta* Linder 1941, p. 218. Type # 225 .
Category: holotype . Type locality: Australia, Cowcoving. Collector: F.Linder.
- Parartemia longicaudata* Linder 1941, p. 227. Type # 224 a-b.
Category: holotype paratypes. Type locality: Australia, Esperence.
Collector: F.Linder.
- Parartemia serventyi* Linder 1941, p. 223. Type # 656 a-c.
Category: paratypes . Type locality: Australia. Collector: D.L.Serventy.
- Peltogaster microstoma* Lilljeborg 1860a, p. 217. Type # 392 a-c.
Category: syntypes . Type locality: Norway, Bergen. Collector: W.Lilljeborg.
- Peltogaster sulcatus* Lilljeborg 1860a, p. 217. Type # 390 a-d.
Category: syntypes . Type locality: Norway, Farsund. Collector: G.Lindström.
- Petrolisthes securiger* Melin 1939, p. 109. Type # 436 a-h.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Pilomedes longicornis* Lilljeborg 1853b, p. 176. Type # 475 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Podon intermedius* Lilljeborg 1853b, p. 161. Type # 476 .
Category: syntypes . Type locality: Denmark, Hirsholm. Collector: H.Krøyer.
- Poecilasma vagans* Aurivillius, C.W.S. 1892, p. 124. Type # 334 .
Category: syntypes . Type locality: ?. Collector: ?.
- Pontoporeia weltneri* Ekman 1913a, p. 7. Type # 671 .
Category: syntypes . Type locality: Sweden, Vättern. Collector: S.Ekman.
- Pseudomma théeli* Ohlin 1901, p. 78. Type # 542 .
Category: syntypes . Type locality: Greenland. Collector: Zool.Pol.exp.1900.

CRUSTACEA

- Scalpellum scorpio* Aurivillius, C.W.S. 1892, p. 126. Type # 341 a-b.
Category: syntypes . Type locality: China & Japan. Collector: Petersen, Svenson.
- Scalpellum uniarticulatum* Nilsson-Cantell 1921, p. 190. Type # 321 .
Category: syntype . Type locality: Japan, Sagami. Collector: S.Bock.
- Scapholeberis microcephala* Lilljeborg 1890, p. 38. Type # 638 a-h.
Category: syntypes . Type locality: Sweden. Collector: W.Lilljeborg.
- Stenocypris decipiens anomala* Lindroth 1953, p. 78. Type # 606 a-c.
Category: syntypes . Type locality: Kenya. Collector: S.Lindroth.
- Syrrhoites pusillus* Enequist 1949, p. 338. Type # 219 a-i.
Category: syntypes . Type locality: Skagerak. Collector: Skagerak exp. -33/37.
- Tanais aequiremis* Lilljeborg 1864, p. 21. Type # 449 a-b.
Category: syntypes . Type locality: Norway, Molde. Collector: W.Lilljeborg.
- Tanais brevicornis* Lilljeborg 1864, p. 15. Type # 444 a-c.
Category: syntypes . Type locality: Norway, Molde. Collector: W.Lilljeborg.
- Tanais brevipennis* Lilljeborg 1864, p. 22. Type # 451 a-b.
Category: syntypes . Type locality: Norway, Molde. Collector: W.Lilljeborg.
- Tanais breviremis* Lilljeborg 1864, p. 21. Type # 450 a-b.
Category: syntypes . Type locality: Norway & Sweden. Collector: W.Lilljeborg.
- Tanais filiformis* Lilljeborg 1864, p. 23. Type # 452 a-c.
Category: syntypes . Type locality: Norway, Molde. Collector: W.Lilljeborg.
- Tanais forcipatus* Lilljeborg 1864, p. 16. Type # 446 a-e.
Category: syntypes . Type locality: Norway & Sweden. Collector: W.Lilljeborg.
- Tanais graciloides* Lilljeborg 1864, p. 18. Type # 447 b-e.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: W.Lilljeborg.
- Tanais longiremis* Lilljeborg 1864, p. 19. Type # 448 a-d.
Category: syntypes . Type locality: Norway & Sweden. Collector: W.Lilljeborg.
- Tanais tenuimanus* Lilljeborg 1864, p. 15. Type # 445 a-b.
Category: syntypes . Type locality: Norway, Molde. Collector: W.Lilljeborg.
- Temora velox* Lilljeborg 1853b, p. 177. Type # 477 .
Category: syntypes . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Tetraclita purpurascens chinensis* Nilsson-Cantell 1921, p. 359. Type # 327 .
Category: syntypes . Type locality: Hongkong. Collector: ?.
- Thamnocephalus platyurus mexicanus* Linder 1941, p. 277. Type # 665 .
Category: paratypes . Type locality: Mexico. Collector: Berl.Univ.Zool.Mus.
- Tiron acanthurus* Lilljeborg 1868, p. 19. Type # 539 .
Category: holotype . Type locality: Norway, Grip. Collector: W.Lilljeborg.
- Ulophysema pourtalesiae* Brattström 1937, p. 8. Type # 208 .
Category: paratypes . Type locality: Atlantic, Jan Mayen.
Collector: Zool.Polar exp. 1900.
- Xestolebris pusilla* Elofson 1941, p. 341. Type # 497 a-f.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: O.Elofson.

ENTOPROCTA

Loxosoma pectinaricola Franzén 1962, p. 322. Type # 402.

Category: holotype syntypes. Type locality: Sweden, Gullmaren.

Collector: Å.Franzén.

Loxosoma rhodinicola Franzén 1962, p. 317. Type # 401.

Category: holotype. Type locality: Sweden, Gullmaren. Collector: Å.Franzén.

Loxosomella glandulifera Franzén 1962, p. 311. Type # 400.

Category: holotype paratype. Type locality: Sweden, Gullmaren.

Collector: Å.Franzén.

HEMICHORDATA

Cephalodiscus densus Andersson 1907, p. 12. Type # 14 .

Category: holotype . Type locality: Antarctica, Graham.

Collector: Sw.S.Polar exp.1902.

Cephalodiscus inaequatus Andersson 1907, p. 10. Type # 13 a-d.

Category: syntypes . Type locality: Antarctica, Graham.

Collector: Sw.S.Polar exp.1902.

HOLOTHUROIDEA

Bathyploetes fallax Östergren 1896, p. 355. Type # 247 .

Category: holotype . Type locality: Norway, Bergen. Collector: H.Östergren.

Colochirus robustus Östergren 1898, p. 134. Type # 246 .

Category: holotype . Type locality: Korea Strait. Collector: E.Svenson.

Cucumaria koraensis Östergren 1898, p. 109. Type # 250 .

Category: syntypes . Type locality: Korea Strait. Collector: E.Svenson.

Cucumaria longicauda Östergren 1898, p. 108. Type # 248 .

Category: syntypes . Type locality: East Asia. Collector: E.Svenson.

Elpidia globosa Théel 1879, p. 14. Type # 691 .

Category: syntype . Type locality: Pacific Ocean. Collector: Challenger Exp.

Laetmogone wyville-thomsoni Théel 1879, p. 10. Type # 690 .

Category: syntype . Type locality: Pacific Ocean. Collector: Challenger Exp.

Pseudocucumis mixta Östergren 1898, p. 135. Type # 249 a-b.

Category: syntypes . Type locality: Norway. Collector: W.Lilljeborg.

Psolus japonicus Östergren 1898, p. 135. Type # 689 a-b.

Category: syntypes . Type locality: Japan. Collector: E.Svenson.

Synapta bergensis Östergren 1905, p. 133. Type # 251 .

Category: syntypes . Type locality: Norway, Bergen. Collector: H.Östergren.

Thyone anomala Östergren 1898, p. 110. Type # 243 .

Category: holotype . Type locality: Formosa Strait. Collector: E.Svenson.

Thyone polybranchia Östergren 1898, p. 133. Type # 245 .

Category: holotype . Type locality: South China Sea. Collector: E.Svenson.

Thyone serrifera Östergren 1898, p. 133. Type # 244 a-c.

Category: syntypes . Type locality: Norway, Trondheim. Collector: H.Östergren.

HYDROZOA

- Aglaophenia suensonii* Jäderholm 1896, p. 18. Type # 43 a-b.
Category: syntypes . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Antennella suensonii* Jäderholm 1896, p. 13. Type # 397 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Antennellopsis integerrima* Jäderholm 1896, p. 16. Type # 41 a-b.
Category: syntypes . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Antennularia octoseriata* Jäderholm 1896, p. 15. Type # 39 a-b.
Category: syntypes . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Campanularia obtusidens* Jäderholm 1904, p. 2. Type # 45 .
Category: holotype . Type locality: Chile, Guaitecas Isl. Collector: P.Dusén.
- Campanularia sulcata* Jäderholm 1896, p. 8. Type # 394 .
Category: holotype . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Cladocarpus bocki* Jäderholm 1919, p. 24. Type # 46 a-b.
Category: syntypes . Type locality: Japan, Okinoshima. Collector: S.Bock.
- Clava glomerata* Lönnberg 1899, p. 45. Type # 31 .
Category: holotype . Type locality: Sweden, Öresund. Collector: Lönnberg.
- Lictorella stehowi* Jäderholm 1919, p. 11. Type # 36 a-c.
Category: syntypes . Type locality: Japan, Goto & Sagami. Collector: S.Bock.
- Obelia geniculata subsessilis* Jäderholm 1904, p. 2. Type # 412 .
Category: holotype . Type locality: Chile, Corral. Collector: P.Dusén.
- Plumularia duseni* Jäderholm 1904, p. 5. Type # 42 a-e.
Category: syntypes . Type locality: Chile, Guaitecas Isl. Collector: P.Dusén.
- Plumularia filicaulis japonica* Jäderholm 1919, p. 21. Type # 44 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Selaginopsis dichotoma* Jäderholm 1904, p. 4. Type # 33 .
Category: holotype . Type locality: Chile, Guaitecas Isl. Collector: P.Dusén.
- Sertularella gayi gracilescens* Jäderholm 1919, p. 17. Type # 38 a-b.
Category: syntypes . Type locality: Japan, Goto Island. Collector: S.Bock.
- Sertularella mirabilis* Jäderholm 1896, p. 9. Type # 395 a-e.
Category: holotype nontypes. Type locality: Japan, Hirado Strait.
Collector: E.Svenson.
- Sertularella sinensis* Jäderholm 1896, p. 11. Type # 396 a-q.
Category: holotype nontypes. Type locality: China, Amoy. Collector: J.V.Petersen.
- Solanderia rufescens* Jäderholm 1896, p. 5. Type # 393 .
Category: holotype . Type locality: Japan. Collector: J.Petersen.
- Spongocladium laeve* Jäderholm 1896, p. 6. Type # 40 a-b.
Category: syntypes . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Stylactis arctica* Jäderholm 1902a, p. 5. Type # 35 a-b.
Category: syntypes . Type locality: Greenland/ Jan Mayen.
Collector: Sw.Zool.Pol.exp.1900.
- Thuiaria heteroclada* Jäderholm 1902b, p. 5. Type # 37 a-b.
Category: syntypes . Type locality: Japan, Hirado Strait. Collector: E.Svenson.
- Thyroscyphus regularis* Jäderholm 1896, p. 9. Type # 47 .
Category: holotype . Type locality: South China Sea. Collector: E.Svenson.
- Zygophylax brevitheca* Jäderholm 1919, p. 9. Type # 34 .
Category: holotype . Type locality: Japan, Bonin Islands. Collector: S.Bock.

MAMMALIA

- Antilope melanotis* Thunberg 1811, p. 312. Type # 354 .
Category: holotype . Type locality: South Africa. Collector: C.P.Thunberg.
- Balaenoptera robusta* Lilljeborg 1861e, p. 599. Type # 205 .
Category: holotype . Type locality: Sweden (subfossil). Collector: W.Lilljeborg.
- Dasymys longicaudatus* Tullberg 1893, p. 36. Type # 299 .
Category: holotype . Type locality: Cameroun. Collector: Bovallius.
- Dasypus multicinctus* Thunberg 1818, p. 66. Type # 320 .
Category: holotype . Type locality: Brazil. Collector: L.Westin.
- Hunterius Svedenborgii* Lilljeborg 1867a, p. 35. Type # 443 .
Category: holotype . Type locality: Sweden (subfossil). Collector: J.Moraues.
- Lophuromys tullbergi* Matschie 1911, p. 337. Type # 348 a-l.
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Mus rufocanus* Tullberg 1893, p. 23. Type # 297 .
Category: holotype . Type locality: Cameroun, Vevaka. Collector: Y.Sjöstedt.
- Myodes schisticolor* Lilljeborg 1844, p. 5. Type # 159 .
Category: holotype . Type locality: Norway. Collector: W.Lilljeborg.
- Ursus brasiliensis* Thunberg 1820, p. 400. Type # 319 .
Category: holotype . Type locality: Brazil. Collector: L.Westin.
- Vespertilio orientalis* Wallin 1969, p. 307. Type # 190 .
Category: holotype . Type locality: Japan, Iwate. Collector: K.Endo.

MOLLUSCA

- Acanthochiton sagamicus* Bergenhayn 1933, p. 43. Type # 137 a-g.
Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.
- Acanthopleura planispina* Bergenhayn 1933, p. 36. Type # 144 a-b.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Achatina camerunensis* d'Ailly 1896, p. 64. Type # 487 a-f.
Category: syntypes . Type locality: Cameroun, Buea etc.
Collector: Jungner & Sjöstedt.
- Callochiton septemcostatus* Bergenhayn 1933, p. 24. Type # 132 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Chiton bocki* Bergenhayn 1933, p. 26. Type # 147 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Clausilia connectens* Westerlund 1871, p. 76. Type # 721 .
Category: holotype . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Clausilia rugosa major* Lilljeborg 1859, p. 69. Type # 191 .
Category: holotype . Type locality: Sweden, Skåne. Collector: W.Lilljeborg.
- Dorymenia hoffmani* Salvini-Plawen 1978, p. 248. Type # 149 .
Category: holotype . Type locality: Antarctic. Collector: Sw.S.Pol.exp.1901-03.
- Ennea bongensis* d'Ailly 1896, p. 10. Type # 478 .
Category: syntypes . Type locality: Cameroun, Bonge. Collector: Y.Sjöstedt.
- Ennea martensi* d'Ailly 1896, p. 15. Type # 479 .
Category: syntypes . Type locality: Cameroun, Bibundi. Collector: J.R.Jungner.
- Ennea tullbergi* d'Ailly 1896, p. 23. Type # 480 a-c.
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Enoploion eustictum* Pfeffer 1912, p. 170. Type # 150 .
Category: holotype . Type locality: Atlantic, USA. Collector: G.C.Eckman.

MOLLUSCA

- Fissurellidea annulus* Odhner, N.H. 1932, p. 292. Type # 398 .
Category: holotype . Type locality: Chile. Collector: P.Dusén.
- Gadinia goësi* Hubendick 1946, p. 77. Type # 495 .
Category: paratype . Type locality: St.Barthélemy. Collector: P.T.Cleve.
- Gibbus martensi minor* d'Ailly 1896, p. 9. Type # 494 .
Category: syntype? . Type locality: Cameroun, Boana. Collector: J.R.Jungner.
- Gymnarion jungneri* Binder in. pr. Type # 580 .
Category: holotype paratypes. Type locality: Cameroun. Collector: J.R.Jungner.
- Helicarion depressus* d'Ailly 1896, p. 32. Type # 481 .
Category: holotype (lost). Type locality: Cameroun. Collector: Y.Sjöstedt.
- Helix jungneri* d'Ailly 1896, p. 57. Type # 127 .
Category: holotype . Type locality: Cameroun, Buea. Collector: J.R.Jungner.
- Hyalinia corcyrensis* Westerlund 1894, p. 164. Type # 192 .
Category: holotype . Type locality: Greece, Korfu. Collector: C.E.Brusevitz.
- Ischnochiton boninensis* Bergenhayn 1933, p. 10. Type # 130 a-mm.
Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.
- Ischnochiton zebrinus* Bergenhayn 1933, p. 13. Type # 134 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Lepidopleurus aequispinus* Bergenhayn 1933, p. 6. Type # 142 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Lepidopleurus japonicus aequivalvus* Bergenhayn 1933, p. 4. Type # 136 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Lepidopleurus latidens* Bergenhayn 1933, p. 8. Type # 131 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Lepidozona pallida* Bergenhayn 1933, p. 22. Type # 141 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Lepidozona pectinella* Bergenhayn 1933, p. 15. Type # 135 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Lepidozona sahlini* Bergenhayn 1933, p. 19. Type # 139 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Limnea intermedia* Michaud 1831, p. 86. Type # 129 .
Category: paratypes . Type locality: France, Lyon. Collector: Locard.
- Lucilina interplicata* Bergenhayn 1933, p. 29. Type # 140 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Marionia granularis* Odhner, N.H. 1936, p. 1090. Type # 133 .
Category: holotype . Type locality: Formosa Strait. Collector: E.Svenson.
- Mastigoteuthis levimana* Lönnberg 1896a, p. 605. Type # 343 .
Category: holotype . Type locality: Atlantic, 43°N 24°W. Collector: G.C.Eckman.
- Notoplax döderleini longifasciata* Bergenhayn 1933, p. 47. Type # 143 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Notoplax squamopleura* Bergenhayn 1933, p. 45. Type # 146 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Notoplax thielei* Bergenhayn 1933, p. 48. Type # 145 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Octopus globosus* Appellöf 1886, p. 7. Type # 138 a-b.
Category: syntypes . Type locality: Japan. Collector: J.V.Petersen.
- Ommatostrephes bartramii sinuosus* Lönnberg 1896b, p. 701. Type # 126 .
Category: holotype . Type locality: Atlantic, Tenerife. Collector: A.Tullgren.

MOLLUSCA

- Opeas egens* d'Ailly 1896, p. 112. Type # 491 .
Category: syntypes . Type locality: Cameroun, Kitta. Collector: Y.Sjöstedt.
- Pseudachatina dennisoni connectens* d'Ailly 1896, p. 92. Type # 492 a-e.
Category: syntypes . Type locality: Cameroun. Collector: Jungner & Sjöstedt.
- Pseudachatina liljevalli* d'Ailly 1896, p. 99. Type # 489 a-b.
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Pseudachatina martensi* d'Ailly 1896, p. 95. Type # 488 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Pseudoglossula clavata grayi* d'Ailly 1896, p. 100. Type # 493 a-g.
Category: syntypes . Type locality: Cameroun. Collector: Jungner & Sjöstedt.
- Pseudoglossula sjöstedti* d'Ailly 1896, p. 104. Type # 490 a-d.
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Sepia peterseni* Appellöf 1886, p. 23. Type # 148 a-b.
Category: syntypes . Type locality: Japan. Collector: J.V.Petersen.
- Sepia tullbergi* Appellöf 1886, p. 26. Type # 295 .
Category: holotype . Type locality: Japan. Collector: J.V.Petersen.
- Sepia verrucosa* Lönnberg 1896b, p. 697. Type # 128 .
Category: holotype . Type locality: Atlantic, Tenerife. Collector: A.Tullgren.
- Streptaxis camerunensis* d'Ailly 1896, p. 5. Type # 125 a-b.
Category: syntypes . Type locality: Cameroun, Bonge. Collector: Y.Sjöstedt.
- Tellina japonica* Thunberg 1815, p. 147. Type # 353 .
Category: holotype . Type locality: Japan. Collector: C.P.Thunberg.
- Tellina lancea* Thunberg 1815, p. 148. Type # 355 .
Category: holotype . Type locality: Jamaica. Collector: P.O.Swartz.
- Thapsia sjöstedti* d'Ailly 1896, p. 39. Type # 482 a-d.
Category: syntypes . Type locality: Cameroun, Itoki. Collector: Y.Sjöstedt.
- Trochozonites hystrix* d'Ailly 1896, p. 49. Type # 485 .
Category: syntypes . Type locality: Cameroun, Itoki. Collector: Y.Sjöstedt.
- Trochozonites pilosus* d'Ailly 1896, p. 50. Type # 486 .
Category: syntypes . Type locality: Cameroun, N'dian. Collector: Y.Sjöstedt.
- Trochozonites reticulatus* d'Ailly 1896, p. 43. Type # 483 a-e.
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Trochozonites suturalis* d'Ailly 1896, p. 45. Type # 484 a-b.
Category: syntypes . Type locality: Cameroun, N'dian. Collector: Y.Sjöstedt.

MYRIAPODA

- Acanthiulus tuberculatus* Porat 1895, p. 53. Type # 681 .
Category: syntype? . Type locality: Cameroun, Kitta. Collector: Y.Sjöstedt.
- Allothreua bidenticulata linderi* Fahlander 1938, p. 2. Type # 675 .
Category: syntypes . Type locality: Australia. Collector: F.Linder.
- Aporodesmus crinitus* Porat 1895, p. 42. Type # 680 .
Category: syntypes . Type locality: Cameroun, Kitta. Collector: Y.Sjöstedt.
- Aporodesmus gabonicus falcatus* Porat 1895, p. 42. Type # 686 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Aporodesmus gabonicus subrectangulus* Porat 1895, p. 42. Type # 687 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.

MYRIAPODA

- Cryptoporus dentosus* Porat 1895, p. 40. Type # 679 .
Category: syntype? . Type locality: Cameroun, Kitta. Collector: Y.Sjöstedt.
- Cryptoporus verrucosus* Porat 1895, p. 39. Type # 231 .
Category: syntype . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Geophilus edentulus* Porat 1895, p. 24. Type # 240 .
Category: holotype . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Geophilus maculosus* Porat 1895, p. 25. Type # 237 .
Category: holotype . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Geophilus porosus* Porat 1895, p. 22. Type # 238 a-b.
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Geophilus quadrisulcatus* Porat 1895, p. 23. Type # 239 a-b.
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Geophilus uliginosus* Porat 1895, p. 24. Type # 236 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Iulus laeticollis* Porat 1889, p. 45. Type # 678 a-d.
Category: syntypes . Type locality: Sweden. Collector: Lilljeborg, Roth.
- Nesogeophilus japonicus* Fahlander 1935, p. 1. Type # 676 .
Category: syntypes . Type locality: Japan. Collector: T.Gislén.
- Odontopyge accincta* Porat 1895, p. 82. Type # 685 .
Category: syntypes . Type locality: Cameroun, Kitta. Collector: Y.Sjöstedt.
- Odontopyge trivialis* Porat 1895, p. 80. Type # 684 .
Category: syntypes . Type locality: Cameroun, Kitta. Collector: Y.Sjöstedt.
- Paradesmus dorsicornis* Porat 1895, p. 33. Type # 235 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Polydesmus coriaceus borealis* Porat 1889, p. 22. Type # 677 a-c.
Category: syntypes . Type locality: Sweden. Collector: Lilljeborg, Stuxberg.
- Spirostreptus canaliculatus* Porat 1895, p. 70. Type # 233 .
Category: syntype . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Spirostreptus limbiger* Porat 1895, p. 73. Type # 683 .
Category: syntypes . Type locality: Cameroun, Kitta. Collector: Y.Sjöstedt.
- Spirostreptus sjöstedti* Porat 1895, p. 68. Type # 230 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Spirostreptus trachyurus* Porat 1895, p. 77. Type # 234 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Strongylosoma scutigerinum* Porat 1895, p. 37. Type # 227 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Thrinciulus multicostis* Porat 1895, p. 55. Type # 682 .
Category: syntype? . Type locality: Cameroun, N'dian. Collector: Y.Sjöstedt.

PISCES

- Barbus linnelli* Lönnberg 1904, p. 138. Type # 572 .
Category: syntype . Type locality: Cameroun. Collector: G.Linnell.
- Bembras laevis* Nyström 1887, p. 26. Type # 277 .
Category: holotype . Type locality: Japan. Collector: Petersen & Smitt.
- Champscephalus gunnari* Lönnberg 1905, p. 37. Type # 578 .
Category: syntype . Type locality: South Georgia. Collector: Sv.Sydpol.exp.1901-3.

PISCES

- Clarias camerunensis* Lönnberg 1895a, p. 182. Type # 283 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Coregonus wartmanni hypsilorhynchus* Lilljeborg 1891, p. 750. Type # 648 .
Category: syntypes . Type locality: Sweden, Sommen. Collector: K.Dusén.
- Coregonus wartmanni tapinorhynchus* Lilljeborg 1891, p. 741. Type # 647 .
Category: syntypes . Type locality: Sweden, Loos. Collector: F.Söderlund.
- Dactylopterus peterseni* Nyström 1887, p. 24. Type # 273 .
Category: holotype . Type locality: Japan. Collector: Petersen & Smitt.
- Ditrema smitti* Nyström 1887, p. 32. Type # 274 .
Category: holotype . Type locality: Japan. Collector: Petersen & Smitt.
- Elassoma evergladei orlandicum* Lönnberg 1894a, p. 123. Type # 344 a-s.
Category: lectotype paralect.. Type locality: USA, Florida. Collector: E.Lönnberg.
- Fundulus bivittatus* Lönnberg 1895a, p. 190. Type # 282 .
Category: holotype . Type locality: Cameroun, N'dian. Collector: Y.Sjöstedt.
- Fundulus sjöstedti* Lönnberg 1895a, p. 191. Type # 272 .
Category: syntypes . Type locality: Cameroun, Bonge. Collector: Y.Sjöstedt.
- Gnathonemus gambiensis* Svensson 1933, p. 34. Type # 404.
Category: syntype. Type locality: Gambia. Collector: G.S.O.Svensson.
- Gobius patella* Thunberg 1787a, p. 31. Type # 286 .
Category: holotype . Type locality: Indian Ocean. Collector: C.P.Thunberg.
- Gymnolabes typus heterocercalis* Lönnberg 1895a, p. 184. Type # 566 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Haemulon eckmani* Lönnberg 1895b, p. 658. Type # 568 .
Category: holotype . Type locality: Haiti. Collector: C.Eckman.
- Haploxyphys aculeatus* Nyström 1887, p. 10. Type # 275 .
Category: holotype . Type locality: Japan. Collector: Petersen & Smitt.
- Lepidotrigla japonica* Nyström 1887, p. 23. Type # 276 .
Category: holotype . Type locality: Japan. Collector: Petersen & Smitt.
- Leptocephalus crenatus* Strömman 1896, p. 32. Type # 698 .
Category: holotype . Type locality: Atlantic Ocean. Collector: G.C.Eckman.
- Leptocephalus curvirostris* Strömman 1896, p. 41. Type # 410 .
Category: holotype . Type locality: Atlantic, 22°N 65°W. Collector: G.C.Eckman.
- Leptocephalus eckmani* Strömman 1896, p. 16. Type # 692 a-o.
Category: syntypes . Type locality: Atlantic Ocean. Collector: G.C.Eckman.
- Leptocephalus forsströmi* Strömman 1896, p. 24. Type # 694 a-d.
Category: syntypes . Type locality: Atlantic Ocean. Collector: Forsström, Schéele.
- Leptocephalus fuliginosus* Strömman 1896, p. 34. Type # 699 .
Category: holotype . Type locality: Atlantic Ocean. Collector: G.C.Eckman.
- Leptocephalus humilis* Strömman 1896, p. 29. Type # 696 .
Category: syntypes . Type locality: Atlantic Ocean. Collector: A.Forsström.
- Leptocephalus hyoprroides* Strömman 1896, p. 39. Type # 702 .
Category: holotype . Type locality: Atlantic Ocean. Collector: G.C.Eckman.
- Leptocephalus javanicus* Strömman 1896, p. 30. Type # 697 .
Category: holotype . Type locality: Bali Strait. Collector: G.v.Schéele.
- Leptocephalus lanceolatus* Strömman 1896, p. 37. Type # 701 .
Category: holotype . Type locality: Atlantic Ocean. Collector: G.C.Eckman.
- Leptocephalus scheelei* Strömman 1896, p. 21. Type # 693 a-d.
Category: syntypes . Type locality: Timor Sea / Atlant. Collector: Schéele & others.

PISCES

- Leptocephalus subinornatus* Strömman 1896, p. 36. Type # 700 .
Category: holotype . Type locality: Indian Ocean. Collector: G.v.Schéele.
- Leptocephalus tiluroides* Strömman 1896, p. 43. Type # 411 .
Category: holotype . Type locality: Atlantic, 24°N 21°W. Collector: G.v.Schéele.
- Leptocephalus undulatus* Strömman 1896, p. 27. Type # 695 .
Category: holotype . Type locality: Atlantic Ocean. Collector: G.C.Eckman.
- Mastacembelus loennbergii* Boulenger 1898, p. 23. Type # 602 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Muraena nebulosa* Thunberg 1789, p. 7. Type # 345 .
Category: holotype . Type locality: "East India". Collector: C.P.Thunberg.
- Notothenia brevipes* Lönnberg 1905, p. 15. Type # 573 .
Category: syntype . Type locality: Falkland Isl.. Collector: Sv.Sydpol.exp.1901-3.
- Notothenia gibberifrons* Lönnberg 1905, p. 33. Type # 574 a-b.
Category: syntypes . Type locality: South Georgia. Collector: Sv.Sydpol.exp.1901-3.
- Notothenia larseni* Lönnberg 1905, p. 31. Type # 576 .
Category: syntype. Type locality: Antarctic, Graham. Collector: Sv.Sydpol.exp.1901-3.
- Notothenia mizops nudifrons* Lönnberg 1905, p. 30. Type # 575 .
Category: syntypes . Type locality: South Georgia. Collector: Sv.Sydpol.exp.1901-3.
- Pelmatochromis boulengeri* Lönnberg 1903, p. 39. Type # 569 .
Category: syntypes . Type locality: Cameroun. Collector: G.Linnell.
- Perca cirrosa* Thunberg 1793b, p. 199. Type # 315 .
Category: holotype . Type locality: Japan. Collector: C.P.Thunberg.
- Perca septemfasciata* Thunberg 1793a, p. 56. Type # 280 .
Category: holotype . Type locality: Japan. Collector: C.P.Thunberg.
- Pimelodus guttatus* Lönnberg 1895a, p. 184. Type # 567 .
Category: syntypes . Type locality: Cameroun. Collector: Y.Sjöstedt.
- Platessa dwinensis* Lilljeborg 1851, p. 5. Type # 515 .
Category: syntypes . Type locality: Russia, Arkhangelsk. Collector: W.Lilljeborg.
- Raja japonica* Nyström 1887, p. 52. Type # 278 .
Category: holotype . Type locality: Japan. Collector: Petersen & Smitt.
- Sciaena cataphracta* Thunberg 1790, p. 108. Type # 296 .
Category: holotype . Type locality: Japan. Collector: C.P.Thunberg.
- Silurus lineatus* Thunberg 1787a, p. 31. Type # 285 .
Category: holotype . Type locality: Indian Ocean. Collector: C.P.Thunberg.
- Synodontis marmoratus* Lönnberg 1895a, p. 186. Type # 281 .
Category: lectotype paralect.. Type locality: Cameroun, Bonge. Collector: Y.Sjöstedt.
- Tilapia kottae* Lönnberg 1904, p. 135. Type # 571 .
Category: syntypes . Type locality: Cameroun. Collector: G.Linnell.
- Tilapia lata camerunensis* Lönnberg 1903, p. 41. Type # 284 .
Category: holotype . Type locality: Cameroun, Meme. Collector: G.Linnell.
- Tilapia linnellii* Lönnberg 1903, p. 42. Type # 570 .
Category: syntypes . Type locality: Cameroun. Collector: G.Linnell.
- Trematomus hansonii georgianus* Lönnberg 1905, p. 25. Type # 577 .
Category: syntype . Type locality: South Georgia. Collector: Sv.Sydpol.exp.1901-3.
- Trigla rubicunda* Thunberg 1787a, p. 31. Type # 303 .
Category: holotype . Type locality: Indonesia, Ambon. Collector: C.Hornstedt.
- Urolophus tullbergi* Nyström 1887, p. 53. Type # 279 .

Category: holotype . Type locality: Japan. Collector: Petersen & Smitt.

POGONOPHORA

Siboglinum ekmani Jägersten 1956, p. 211. Type # 420 a-i.

Category: syntypes . Type locality: Skagerak. Collector: Uppsala Exp. 1933.

POLYCHAETA

Ammotrypane sarsi Eliason 1962, p. 274. Type # 189 a-z.

Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.

Amphidromus izukai Hessle 1925, p. 28. Type # 630 .

Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.

Amphidromus setosus Hessle 1925, p. 25. Type # 629 .

Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.

Amphisamytha japonica Hessle 1917, p. 114. Type # 172 .

Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.

Amphitrite oculata Hessle 1917, p. 186. Type # 169 a-e.

Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.

Anaitides subulifera Eliason 1962, p. 230. Type # 199 a-d.

Category: paratypes . Type locality: (Skagerak). Collector: Uppsala exp. 1933.

Branchiomma infarcta bahusiensis Johansson 1927, p. 161. Type # 346 a-b.

Category: syntypes . Type locality: Sweden, Bohuslän. Collector: A.Wirén.

Calamyzas amphictenicola Arwidsson 1932, p. 153. Type # 669 .

Category: paratypes . Type locality: Sweden, Bohuslän. Collector: I.Arwidsson.

Caulleriella serrata Eliason 1962, p. 267. Type # 193 a-b.

Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.

Euclymene lindrothi Eliason 1962, p. 278. Type # 194 a-v.

Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.

Exogone furcifera Eliason 1962, p. 243. Type # 195 a-f.

Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.

Fabricia ventrilinguata Johansson 1922, p. 9. Type # 206 a-d.

Category: syntypes . Type locality: Japan, Sagami etc. Collector: S.Bock.

Glycera chilensis Arwidsson 1899, p. 24. Type # 316 .

Category: holotype . Type locality: Chile, Guaitecas Isl. Collector: P.Dusén.

Glycera longissima Arwidsson 1899, p. 23. Type # 314 .

Category: holotype . Type locality: Chile, Guaitecas Isl. Collector: P.Dusén.

Harmothoë micraspis Eliason 1962, p. 218. Type # 201 a-e.

Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.

Heteroclymene robusta Arwidsson 1907, p. 227. Type # 312 .

Category: syntypes . Type locality: Norway, Hardanger. Collector: Aurivillius.

Kefersteinia dubia Hessle 1925, p. 32. Type # 674 a-d.

Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.

Kefersteinia similis Hessle 1925, p. 29. Type # 673 .

Category: holotype? . Type locality: Japan, Sagami. Collector: S.Bock.

Laonice appellöfi Söderström 1920, p. 225. Type # 347 .

Category: holotype . Type locality: Norway, Hjeltefjord. Collector: A.Appellöf.

Laonice bahusiensis Söderström 1920, p. 223. Type # 153 a-n*.

Category: syntypes . Type locality: Sweden, Bohuslän. Collector: A.Wirén.
Laonice sarsi Söderström 1920, p. 223. Type # 154 a-k*.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: A.Wirén.

POLYCHAETA

- Leiochone borealis* Arwidsson 1907, p. 156. Type # 310 .
Category: syntypes . Type locality: Norway, Bergen. Collector: ?.
- Leocrates anomymus* Hessle 1925, p. 15. Type # 672 .
Category: holotype? . Type locality: Japan, Sagami. Collector: S.Bock.
- Leocrates auritus* Hessle 1925, p. 18. Type # 626 .
Category: holotype . Type locality: Japan, Bonin Isl. Collector: S.Bock.
- Lysilla pacifica* Hessle 1917, p. 232. Type # 181 a-c.
Category: syntypes . Type locality: Japan, Sagami etc. Collector: S.Bock.
- Macellicephalo paucidentata* Eliason 1962, p. 214. Type # 204 .
Category: holotype . Type locality: Skagerak. Collector: Uppsala exp. 1933.
- Macrochaeta polyonyx* Eliason 1962, p. 269. Type # 197 a-p.
Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.
- Megalomma pacifica* Johansson 1927, p. 130. Type # 161 a-b.
Category: syntypes . Type locality: Pacific, Gilbert Isl. Collector: S.Bock.
- Microclymene acirrata* Arwidsson 1907, p. 166. Type # 311 a-b.
Category: syntypes . Type locality: Sweden & Norway.
Collector: A.Wirén, H.Östergren.
- Myzostomum bocki* Jägersten 1937, p. 20. Type # 165 a-p.
Category: holotype paratypes. Type locality: Japan, Sagami. Collector: S.Bock.
- Myzostomum brevilobatum* Jägersten 1937, p. 26. Type # 429 .
Category: holotype . Type locality: Japan, Kagoshima. Collector: S.Bock.
- Myzostomum cirricostatum* Jägersten 1937, p. 18. Type # 428 a-b.
Category: holotype paratype. Type locality: Japan, Goto Islands. Collector: S.Bock.
- Myzostomum longimanum* Jägersten 1937, p. 7. Type # 164 a-e.
Category: holotype paratypes. Type locality: Japan, Goto Islands. Collector: S.Bock.
- Myzostomum maculatum* Jägersten 1937, p. 29. Type # 430 .
Category: holotype . Type locality: Japan, Okinoshima. Collector: S.Bock.
- Myzostomum terminale* Jägersten 1937, p. 11. Type # 427 a-b.
Category: holotype paratypes. Type locality: Japan, Sagami. Collector: S.Bock.
- Myzostomum tuberculatum* Jägersten 1937, p. 16. Type # 166 a-d.
Category: holotype paratypes. Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Neoleprea japonica* Hessle 1917, p. 192. Type # 177 a-c.
Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.
- Nereis elitoralis* Eliason 1962, p. 250. Type # 198 a-b.
Category: paratypes . Type locality: (Skagerak). Collector: Uppsala exp. 1933.
- Nicomache lumbricalis borealis* Arwidsson 1907, p. 94. Type # 308 a-b.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: ?.
- Nicomache minor* Arwidsson 1907, p. 100. Type # 668 .
Category: holotype . Type locality: Norway, Vadsö. Collector: H.Östergren.
- Notoproctus oculatus* Arwidsson 1907, p. 52. Type # 307 .
Category: syntype . Type locality: Sweden, Bohuslän. Collector: A.Wirén.
- Octobranchus japonicus* Hessle 1917, p. 134. Type # 182 a-e.
Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.
- Ophryotrocha isochoeta* Eliason 1962, p. 260. Type # 200 a-b.
Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.
- Oxydromus lobatus* Hessle 1925, p. 24. Type # 628 .

Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.

POLYCHAETA

- Oxydromus pacificus* Hessle 1925, p. 22. Type # 627 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Paradoneis eliasoni* Mackie 1991, p. 152. Type # 291 a-f.
Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.
- Pectinaria bocki* Hessle 1917, p. 81. Type # 162 .
Category: holotype . Type locality: Japan, Kobe Bay. Collector: S.Bock.
- Petaloproctus tenuis borealis* Arwidsson 1907, p. 118. Type # 309 a-c.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: ?.
- Phisidia sagamica* Hessle 1917, p. 207. Type # 170 a-b.
Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.
- Pista atypica* Hessle 1917, p. 160. Type # 171 .
Category: syntypes? . Type locality: Japan, Sagami. Collector: S.Bock.
- Pista macrolobata* Hessle 1917, p. 157. Type # 184 a-b.
Category: syntypes . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Pista microlobata* Hessle 1917, p. 155. Type # 179 a-b.
Category: syntypes . Type locality: Japan, Kyushu etc. Collector: S.Bock.
- Polycirrus latidens* Eliason 1962, p. 286. Type # 196 a-g.
Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.
- Polycirrus medius* Hessle 1917, p. 225. Type # 183 a-t.
Category: syntypes . Type locality: Japan, Sagami. Collector: S.Bock.
- Polymnia boniniana* Hessle 1917, p. 177. Type # 176 .
Category: syntypes? . Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Potamilla elegans* Johansson 1922, p. 7. Type # 178 .
Category: holotype paratypes. Type locality: Japan, Goto Islands. Collector: S.Bock.
- Potamilla japonica* Johansson 1922, p. 8. Type # 188 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Prionospio fallax* Söderström 1920, p. 235. Type # 158 a-d.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: A.Wirén.
- Pseudeulalia exigua* Eliason 1962, p. 232. Type # 202 a-g.
Category: holotype paratypes. Type locality: Skagerak. Collector: Uppsala exp. 1933.
- Sabella albicans* Johansson 1922, p. 4. Type # 207 .
Category: holotype . Type locality: Japan, Sagami. Collector: S.Bock.
- Sabella wireni* Johansson 1922, p. 3. Type # 218 .
Category: holotype paratypes. Type locality: Japan, Sagami. Collector: S.Bock.
- Sabellaria falcigera* Johansson 1927, p. 95. Type # 163 a-c.
Category: holotype paratypes. Type locality: USA, Georgia. Collector: E.Svenson.
- Sabellastarte bocki* Johansson 1922, p. 6. Type # 168 a-f.
Category: holotype paratypes. Type locality: Japan, Bonin Islands. Collector: S.Bock.
- Sosanopsis wireni* Hessle 1917, p. 112. Type # 160 .
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: A.Wirén.
- Sphaerodorium distichum* Eliason 1962, p. 247. Type # 203 .
Category: holotype . Type locality: Skagerak. Collector: Uppsala exp. 1933.
- Spinospaera pacifica* Hessle 1917, p. 209. Type # 175 .
Category: syntypes? . Type locality: Japan, Sagami. Collector: S.Bock.
- Streblosoma japonica* Hessle 1917, p. 211. Type # 174 a-b.

Category: holotype paratypes. Type locality: Japan, Kobe Bay. Collector: S.Bock.
Terebella punctata Hesse 1917, p. 189. Type # 173 a-l.
Category: syntypes . Type locality: Japan, Sagami etc. Collector: S.Bock.

POLYCHAETA

Terebellides kobei Hesse 1917, p. 140. Type # 185 a-f.

Category: syntypes . Type locality: Japan, Kobe Bay. Collector: S.Bock.

Tetreres curvata Johansson 1922, p. 2. Type # 631 .

Category: holotype . Type locality: Japan, Bonin Isl. Collector: S.Bock.

Thelepus ambitus Glasby & Hutchings 1987, p. 980. Type # 625 a-c.

Category: holotype paratypes. Type locality: Chile. Collector: P.Dusén.

PROTOZOA

Allogromia crystallifera Dahlgren 1962b, p. 451. Type # 318 a-b.

Category: syntypes . Type locality: Sweden, Bohuslän. Collector: L.Dahlgren.

Ovammia opaca Dahlgren 1962a, p. 197. Type # 317 a-f.

Category: syntypes . Type locality: Sweden, Bohuslän. Collector: L.Dahlgren.

REPTILIA

Amphisbaena reticulata Thunberg 1787a, p. 30. Type # 180 .

Category: holotype . Type locality: ?. Collector: ?.

Boa variegata Thunberg 1807, p. 3. Type # 313 .

Category: holotype . Type locality: "East India". Collector: C.P.Thunberg.

Coluber strigilis Thunberg 1787a, p. 22. Type # 292 a-b.

Category: syntypes . Type locality: ?. Collector: ?.

Coluber virgatus Thunberg 1787a, p. 22. Type # 722 .

Category: holotype . Type locality: ?. Collector: ?.

Halcrosia afzelii Lilljeborg 1867b, p. 715. Type # 302 .

Category: holotype . Type locality: Sierra Leone. Collector: A.Afzelius.

Lacerta abdominalis Thunberg 1787a, p. 29. Type # 301 .

Category: holotype . Type locality: Java. Collector: C.P.Thunberg.

Lacerta lateralis Thunberg 1787a, p. 21. Type # 300 a-b.

Category: syntypes . Type locality: Java. Collector: C.P.Thunberg.

Natrix fasciata atra Lönnberg 1894d, p. 331. Type # 289 .

Category: holotype . Type locality: USA, Florida. Collector: E.Lönnberg.

Pseudopistocalamus nymani Lönnberg 1900, p. 578. Type # 290 .

Category: syntype . Type locality: New Guinea. Collector: E.Nyman.

Testudo areolata Thunberg 1787a, p. 29. Type # 298 .

Category: holotype . Type locality: India?. Collector: C.P.Thunberg.

Testudo discolor Thunberg 1812, p. 302. Type # 723 .

Category: holotype . Type locality: ?. Collector: ?.

Testudo rostrata Thunberg 1787a, p. 179. Type # 241 .

Category: holotype . Type locality: ?. Collector: ?.

Trionyx triunguis rudolfianus Deraniyagala 1948, p. 30. Type # 724 .

Category: holotype . Type locality: Kenya, Lake Rudolf. Collector: Whitehouse.

Typhlops lineolatus Jan 1864, p. 24. Type # 725 .

Category: holotype . Type locality: Sierra Leone. Collector: Afzelius.

SPONGIARIA

- Caminus chinensis* Lindgren 1897, p. 485. Type # 5 a-b.
Category: syntypes . Type locality: East China Sea etc. Collector: E.Svenson.
- Chalina pulcherrima* Fristedt 1885, p. 49. Type # 10 .
Category: holotype . Type locality: Sweden, Bohuslän. Collector: Fristedt.
- Dendoryx mollis* Lindgren 1897, p. 482. Type # 18 .
Category: holotype . Type locality: Korea Strait. Collector: E.Svenson.
- Desmacella peachii stellifera* Fristedt 1885, p. 29. Type # 26 .
Category: holotype . Type locality: Sweden, Bohuslän. Collector: Fristedt.
- Desmacella pumicea* Fristedt 1885, p. 29. Type # 29 a-b.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: Fristedt.
- Dorypleres biangulata* Lindgren 1897, p. 483. Type # 9 .
Category: syntype . Type locality: Indonesia, Java. Collector: C.Aurivillius.
- Erylus decumbens* Lindgren 1897, p. 485. Type # 1 .
Category: holotype . Type locality: Indonesia, Java. Collector: C.Aurivillius.
- Esperella macrosigma* Lindgren 1897, p. 482. Type # 17 .
Category: holotype . Type locality: Korea Strait. Collector: E.Svenson.
- Gellius arcticus* Hentschel 1916, p. 12. Type # 22 .
Category: holotype . Type locality: Norway, Svalbard.
Collector: Sw.Svalbard exp.1908.
- Gellius strongylatus* Lindgren 1897, p. 481. Type # 23 .
Category: holotype . Type locality: Korea Strait. Collector: E.Svenson.
- Geodia arripiens* Lindgren 1897, p. 486. Type # 3 .
Category: holotype . Type locality: South China Sea. Collector: E.Svenson.
- Geodia distincta* Lindgren 1897, p. 486. Type # 4 .
Category: holotype . Type locality: Indonesia, Java. Collector: C.Aurivillius.
- Halichondria armata* Lindgren 1897, p. 480. Type # 27 .
Category: holotype . Type locality: Luzon Str./ Pacific. Collector: E.Svenson.
- Halichondria variabilis* Lindgren 1897, p. 480. Type # 28 .
Category: holotype . Type locality: South China Sea. Collector: E.Svenson.
- Hastatus fragilis* Fristedt 1885, p. 35. Type # 15 .
Category: holotype . Type locality: Sweden, Bohuslän. Collector: Fristedt.
- Hastatus mamillaris* Fristedt 1885, p. 32. Type # 12 a-c.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: Fristedt.
- Latrunculia laevis* Lindgren 1897, p. 484. Type # 351 .
Category: holotype . Type locality: South China Sea. Collector: Capt. Svenson.
- Pachychalina melior tubulifera* Lindgren 1897, p. 481. Type # 25 a-b.
Category: holotype . Type locality: South China Sea. Collector: E.Svenson.
- Petrosia nigricans* Lindgren 1897, p. 480. Type # 391 .
Category: holotype . Type locality: Indonesia, Java. Collector: C.Aurivillius.
- Polymastia mammillaris hyperborea* Hentschel 1916, p. 8. Type # 6 .
Category: syntype . Type locality: Norway, Svalbard.
Collector: Sw.Svalbard exp.1908.
- Raphidophlus ridleyi* Lindgren 1897, p. 483. Type # 352 .
Category: holotype . Type locality: Indonesia, Billiton. Collector: C.Aurivillius.
- Reniera glacialis* Hentschel 1916, p. 15. Type # 20 a-b.
Category: syntypes . Type locality: Norway, Svalbard.
Collector: Sw.Svalbard exp.1908.

SPONGIARIA

- Reniera spitzbergensis* Hentschel 1916, p. 16. Type # 21 a-b.
Category: syntypes . Type locality: Norway, Svalbard.
Collector: Sw.Svalbard exp.1908.
- Rhaphidophlus filifer spinifera* Lindgren 1897, p. 483. Type # 16 a-b.
Category: syntypes . Type locality: South China Sea. Collector: E.Svenson.
- Siphonochalina truncata* Lindgren 1897, p. 481. Type # 24 a-b.
Category: syntypes . Type locality: South China Sea. Collector: E.Svenson.
- Spirastrella semilunaris* Lindgren 1897, p. 484. Type # 8 .
Category: syntype . Type locality: Indonesia, Java. Collector: C.Aurivillius.
- Steletta tenuis* Lindgren 1897, p. 485. Type # 2 .
Category: holotype . Type locality: Indonesia, Java. Collector: C.Aurivillius.
- Stylopus coriaceus* Fristedt 1885, p. 28. Type # 11 a-b.
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: Fristedt.
- Vosmaeria crustacea* Fristedt 1885, p. 24. Type # 7 .
Category: holotype . Type locality: Sweden, Bohuslän. Collector: Tullberg & Théel.

SYMPHYLA

- Hanseniella afromontana* Scheller 1954, p. 229. Type # 703 .
Category: holotype paratypes. Type locality: Kenya, Aberdare. Collector: Å.Holm.
- Hanseniella elgonensis* Scheller 1954, p. 233. Type # 704 .
Category: holotype paratypes. Type locality: Kenya, Mt. Elgon. Collector: Å.Holm.

TREMATODA

- Distoma botryophoron* Olsson 1867b, p. 42. Type # 119 .
Category: syntypes? . Type locality: Norway, Bergen. Collector: ?.
- Distoma commune* Olsson 1867b, p. 31. Type # 466 .
Category: syntype? . Type locality: Norway, Bergen. Collector: P.Olsson.
- Distoma furcigerum* Olsson 1867b, p. 26. Type # 118 .
Category: syntypes? . Type locality: ?. Collector: ?.
- Distomum monorchis* Stössich 1890, p. 40. Type # 120 .
Category: paratype? . Type locality: Italy, Trieste. Collector: Stössich.
- Hemiurus communis* Odhner, T. 1905, p. 351. Type # 667 .
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: E.Lönnberg.
- Levinsenia pygmaea similis* Jägerskiöld 1900, p. 737. Type # 117 .
Category: syntypes . Type locality: Sweden, Bohuslän. Collector: Odhner.
- Monostomum lacteum* Jägerskiöld 1896b, p. 1. Type # 116 a-h.
Category: syntypes (lectot.). Type locality: Sweden, Bohuslän.
Collector: L.A.Jägerskiöld.
- Orthosplanchnus arcticus* Odhner, T. 1905, p. 339. Type # 666 .
Category: syntypes . Type locality: Svalbard. Collector: Zool.Pol.exp. 1900.

TUNICATA

- Alloecarpa bacca* Ärnäck-C.-L. 1929, p. 4. Type # 270 a-b.
Category: syntypes . Type locality: Chile, Guaitacas. Collector: P.Dusén.

TUNICATA

Didemnum chilense Ärnäck-C.-L. 1929, p. 19. Type # 269 a-b.

Category: syntypes . Type locality: Chile, Guaitecas. Collector: P.Dusén.

Styela melincae Ärnäck-C.-L. 1929, p. 2. Type # 271 .

Category: holotype . Type locality: Chile, Guaitecas. Collector: P.Dusén.

Sycozoa sigillinoides rigida Ärnäck-C.-L. 1929, p. 10. Type # 293 .

Category: holotype . Type locality: Chile, Guaitecas. Collector: P.Dusén.

Trididemnum auriculatum separ Ärnäck-C.-L. 1929, p. 16. Type # 294 .

Category: holotype . Type locality: Chile, Guaitecas. Collector: P.Dusén.

TURBELLARIA

Amyella lineata Bock 1922, p. 20. Type # 594 a-b.

Category: syntype . Type locality: Japan. Collector: S.Bock.

Anoplodium stichopi Bock 1925, p. 2. Type # 600 a-k.

Category: syntypes . Type locality: Sweden, Norway. Collector: S.Bock.

Boninia mirabilis Bock 1923b, p. 1. Type # 597 a-ö.

Category: syntypes . Type locality: Japan, Bonin Isl. Collector: S.Bock.

Castrada affinis Hofsten 1907b, p. 424. Type # 583 a-c.

Category: syntypes . Type locality: Switzerland. Collector: N.v.Hofsten.

Castrada inermis Hofsten 1911, p. 49. Type # 589 a-b.

Category: syntypes . Type locality: Switzerland. Collector: N.v.Hofsten.

Castrada instructa Hofsten 1907a, p. 2. Type # 563 .

Category: holotype? . Type locality: Sweden, Gotland. Collector: N.v.Hofsten.

Castrada libidinosa Hofsten 1917, p. 705. Type # 591 a-c.

Category: syntypes . Type locality: Sweden, Lappland. Collector: N.v.Hofsten.

Castrada rhaetica Hofsten 1911, p. 52. Type # 590 .

Category: holotype . Type locality: Switzerland. Collector: N.v.Hofsten.

Castrada spinulosa Hofsten 1907b, p. 437. Type # 584 a-g.

Category: syntypes . Type locality: Switzerland. Collector: N.v.Hofsten.

Chromoplana bella Bock 1922, p. 1. Type # 593 a-b.

Category: syntypes . Type locality: Japan. Collector: S.Bock.

Cryptocelis ijimai Bock 1923a, p. 15. Type # 596 a-j.

Category: syntypes . Type locality: Japan. Collector: S.Bock.

Dalyellia expedita Hofsten 1907b, p. 520. Type # 585 a-c.

Category: syntypes . Type locality: Switzerland. Collector: N.v.Hofsten.

Dalyellia foreli Hofsten 1911, p. 22. Type # 588 a-j.

Category: syntypes . Type locality: Switzerland. Collector: N.v.Hofsten.

Dalyellia ornata Hofsten 1907b, p. 525. Type # 586 .

Category: holotype . Type locality: Switzerland. Collector: N.v.Hofsten.

Dalyellia pallida Hofsten 1907a, p. 5. Type # 564 .

Category: syntypes . Type locality: Sweden, Gotland. Collector: N.v.Hofsten.

Dalyellia succincta Hofsten 1907a, p. 12. Type # 565 .

Category: syntypes . Type locality: Sweden, Gotland. Collector: N.v.Hofsten.

Dochmiotrema limicola Hofsten 1907b, p. 411. Type # 581 a-h.

Category: syntypes . Type locality: Switzerland. Collector: N.v.Hofsten.

Glanduloderma myzostomatis Jägersten 1940b, p. 1. Type # 426 .

Category: syntypes . Type locality: Japan, Kagoshima. Collector: S.Bock.

Hofstenia atroviridis Bock 1923c, p. 2. Type # 598 a-t.

Category: syntypes . Type locality: Japan. Collector: S.Bock.

TURBELLARIA

Mesostoma maculatum Hofsten 1917, p. 711. Type # 592 .

Category: holotype . Type locality: Sweden, Lapland. Collector: N.v.Hofsten.

Micropharynx parasitica Jägerskiöld 1896a, p. 707. Type # 104 .

Category: syntypes? . Type locality: Sweden, Bohuslän. Collector: J.L.Johansson.

Phaenocora clavigera Hofsten 1907b, p. 550. Type # 587 a-d.

Category: type? . Type locality: Switzerland. Collector: N.v.Hofsten.

Plehnia japonica Bock 1923a, p. 1. Type # 595 a-q.

Category: syntype . Type locality: Japan. Collector: S.Bock.

Strongylostoma elongatum Hofsten 1907b, p. 419. Type # 582 .

Category: holotype . Type locality: Switzerland. Collector: N.v.Hofsten.

Stylochoplana pusilla Bock 1924, p. 2. Type # 599 a-f.

Category: syntypes . Type locality: Japan. Collector: S.Bock.

Stylochus orientalis Bock 1913, p. 128. Type # 106 a-n.

Category: syntypes . Type locality: Formosa Strait. Collector: E.Svenson.

Woodworthia atlantica Bock 1913, p. 142. Type # 105 a-l.

Category: syntypes . Type locality: Atlantic, St Thomas. Collector: A.H.Riise.